

**BRIHANMUMBAI MAHANAGARPALIKA**

**GARDEN & TREE AUTHORITY DEPARTMENT**



**HORTICULTURE DEVELOPMENT, MAINTENANCE, GARDEN MATERIALS AND TREE PRESERVATION  
& PROTECTION WORKS**

**USOR - 2023**

Office of Supdt. Of Gardens & Tree Authority  
2<sup>nd</sup> Floor, Humbolt Penguin Building  
Veer mata Jijabai Bhosale Vanspati Udyan & Zoo  
Dr. Babasaheb Ambedkar Road,  
Byculla, (East), Mumbai-400027.

**BRIHANMUMBAI MAHANAGARPALIKA****GARDEN & TREE AUTHORITY DEPARTMENT**

<b>Sr. No.</b>	<b>Particulars</b>	<b>Page No.</b>
1	Horticulture Development and Maintenance of Lawn/Shrubs/Hedges etc.In Gardens/RG/PG/Traffic Islands/Central Medians etc.	03 to 13
2	Supply of Material i.e. Soil/Manure/Plants/Machineries/Irrigation System Items etc.	13 to 79
3	Tree Preservation and Protection works i.e. rates for trimming/cutting/Transplanting of Trees/Applying pesticides, fungicides/Lifting of Unclaimed tree cutting etc.	79 to 84

## BRIHANMUMBAI MUNICIPAL CORPORATION

### 1. HORTICULTURE DEVELOPMENT AND MAINTENANCE SCHEDULE

Sr. No.	Item No	Short Description	UNIT	Rates	Long Description
<b>CHAPTER-1 SOFTSCAPE WORKS</b>					
1	R3-GW-1-5-A	Excavation for Planting of Tree on Soft Surface – Digging of Pit having size 1Mtr.x 1Mtr.x1Mtr. on soft surface like soil, Murum.	NOS	420	Digging of Pit having size 1Mtr.x 1Mtr.x1Mtr. on soft surface like soil, Murum. Loading and unloading and Transporting Excavated material form site out of Jurisdiction of BMC Or at site designated by site incharge
2	R3-GW-1-5-B	Excavation for Planting of Tree on Hard Surface – Digging of Pit having size 1Mtr.x 1Mtr.x1Mtr. on soft surface like Concrete, tar, paved footpath	NOS	552	Digging of Pit having size 1Mtr.x 1Mtr.x1Mtr. on soft surface like Concrete, tar, paved footpath, Loading and unloading and Transporting Excavated material form site out of Jurisdiction of BMC Or at site designated by site incharge
3	R3-GW-1-5-C	Excavation for Planting of Tree on Soft Surface for Afforestation – Digging of Pit having size 1Mtr.x 1Mtr.x1Mtr. on soft surface like soil, Murum.	NOS	330	Digging of Pit having size 1Mtr.x 1Mtr.x 1Mtr. on soft surface like soil, Murum. Loading and unloading and Transporting Excavated material form site out of Jurisdiction of BMC Or at site designated by site incharge
4	R3-GW-6-1	Excavation for Planting of Lawn/ Shrubs/ Creeper/ Climbers/ Ground Cover on Soft Surface – Digging of Soft surface up to 30 Cm. Depth and removal of excavated material from site by contractor.	SqM	179	Excavation of soft Top soil like murum or infertile soil / debris up to 30 Cm. Depth, Removal of 30 cm top layer and transportation of excavated material to place as instructed by Engineer-in-Charge
5	R3-GW-6-2	Excavation for Planting of Lawn/ Shrubs/ Creeper/ Climbers/ Ground Cover on Hard Surface – Digging of Hard surface like concrete, tar, Paved area up to 30 Cm. Depth and removal of excavated material from site by contractor.	SqM	219	Excavation of Hard surface like concrete / tar up to 30 Cm. Depth, Removal of 30 cm top layer and transportation of excavated material tp place as instructed by Engineer-in-Charge

6	R3-GW-6-3	Restoration of soil – Excavation of Top soil up to 30 Cm. Depth in existing Gardens , Removal of 15 cm unwanted soil and restore 15 cm Good quality top soil along with 15 cm new RHE , CDM in 2:1 proportion at site as directed by site incharge.	Sqm	371	Digging up to 30 cm depth on existing garden soil, Removal of 15 cm top layer of infertile soil and restore 15 cm fertile soil alongwith 15 cm new RHE , CDM in 2:1 proportion at site as directed by site incharge. Loading and unloading and Transporting Ex
<b>CHAPTER-2 SOFTSCAPE WORKS</b>					
7	R3-GW-2-1-A-9	Planting of lawn- Laying of Carpet lawn ( zoysia / American / mexican/ korean carpet )	SQM	234	Carpet lawn should be free from weeds pathogens , compact, root should be healthy , undamaged laying on prepared ground uniformly , as instructed by site incharge watering immediately after laying and maintenance till settlement of lawn.
8	R3-GW-2-3-B	Preperation of Mound for planting of lawn/shrubs/ ground cover/ creeper/ climbers - Suply and Spreading of Red Hill Earth and Cow Dung Mannure in 2:1 Proportion up to 60 cm. Depth at centre and 30 cm depth at sideline of mound. (excluding cost of Lawn/shrubs/ ground cover/ creeper/ climbers .)	CUM	144	Preparation of mound as per the suitable design according to landscape of garden by supply of RHE and CDM Mixing of RHE and CDM in 2:1 proportion with Pesticides & fungicides as instructed by the site incharge 2 Ft Depth at Centre & 1 Ft Depth at sidle
9	R3-GW-2-4-E	Planting of shrubs/ creeper/ climbers/ ground Covers on Prepared Ground excluding cost of plants	SQM	47	Digging of Hole in a prepared ground ,Removal of shrub from pollybag without disturbing rootball and planting and resurfacing of planted area by Soil and manure as directed by site incharge. Maintenance of newly planted shrubs for one month and Filling
10	R3-GW-2-8-D	Maintenance of Newly planted Trees Excluding cost of water	NOS	132	Watering of tree @12 Lit. Per tree . Weeding, application of Fertilizers and pesticide as and when required,loosening of soil for maintaining the porosity , stacking of tree. Removal of lower side shoots time to time for proper growth of the tree. If any casualty found same should be replaced without extra cost. Top dressing of 5 cm or 2.5 cm twice in a year with Mixture of RHE & CDM in 2:1 proportion, plants should be in healthy condition free from pest, disease attack. Item should be operated wherever water supply is available through BMC.
11	R3-GW-7-1	Preperation of ground for planting of lawn/shrubs/ ground cover/ creeper/ climbers - Suply and Spreading of Red Hill Earth and Cow Dung Mannure in 2:1 Proportion up to 30 cm. Depth ( excluding cost of Lawn/shrubs/ ground cover/ creeper/ climbers .)	SqM	480	Supply and Spreading of Red Hill Earth and Cow Dung Manure in 2:1 Proportion up to 30 cm. Depth. Application of suitable pesticides and fungicides with RHE and CDM.

12	R3-GW-7-2	Preperatory Tillage Practices for planting of lawn/ shrubs/ creepers/ climbers/ ground covers excluding cost of water :- Mixing and leveling of Mixture of Red hill earth and cow dung manure 5000 Sq. Mtr. Area , Watering for 30 days at every alternate day , weeding at every 10 days interval on prepared ground till one month .(Excluding Cost of lawn/ shrubs/ creepers/ climbers/ ground covers) excluding cost of water. [ Excluding cost of water ]	SqM	13	Mixing and levelling of RHD and CDM , watering of levelled land till 30 days, weeding at every 10 days interval, such 3 weeding should be done , rolling after each weeding , application of fertilizers , pesticides, fungicides, and weediides as directed by site incharge.
13	R3-GW-7-3	Preperatory Tillage Practices for planting of lawn/ shrubs/ creepers/ climbers/ ground covers including cost of water :- Mixing and leveling of Mixture of Red hill earth and cow dung manure , Watering for 30 days at every alternate day , weeding at every 10 days interval on prepared ground till one month . (Excluding Cost of lawn/ shrubs/ creepers/ climbers/ ground covers) [ Including cost of water ]	SqM	26	Mixing of RHE and CDM, crushing of mucks of RHE CDM , leveing of flat surface / mound at proper level, watering daily , weeding at every 10 days interval such 3 weeding should be done , rolling after each weeding , application of weedicides if required,application of fertilizers , pesticides, fungicides, and weedicides as directed by site incharge.
14	R3-GW-7-5	Planting of Phosphulum / Saint Augustin lawn- Planting of lawn by dibbling method on Prepared ground (saint augustin lawn )	SqM	266	Planting of lawn by dibbling method i.e. 7 kg per sq. Mt. Watering of lawn immediately after planting of lawn. Should be maintain and water the lawn @ of 6 lit per Sq. Mtr. up to 60 days free of cost , Filling of casualty up to 30 days , lawn must be covers entire area within 60 days , if any gaps it should be filled and lawn should be maintained till completely cover the area free of cost.
15	R3-GW-7-9	Supply and stacking of Red Hill Earth	CuM.	1298	Red hill earth should be fresh from quarry free from weeds, stones , rubbish like dry grass and other material, reddish in colour, should be well sieved 90% to pass through I.S. sieve of 10 mm. Size.
16	R3-GW-7-10	Supply and stacking of Cow dung Manure	CuM.	1298	It should be well rotten and free from undecomposed grass ( Husk/Grass) Dark Brownish to stint black in colour having 25% Moisture.

17	R3-GW-7-11	Supply and Spreading of Red Hill Earth	CuM.	1590	Red hill earth should be fresh from quarry free from weeds, stones , rubbish like dry grass and other material, reddish in colour, should be well sieved 90% to pass through I.S. sieve of 10 mm. Size. Spreading of Red Hill Earth at site as directed by site incharge.
18	R3-GW-7-12	Supply and Spreading of Cow Dung Manure	CuM.	1590	It should be well rotten and free from undecomposed grass ( Husk/Grass) Dark Brownish to stint black in colour having 25% Moisture. Spreading of Cow dung manure at site as directed by site incharge.
19	R3-GW-7-6	Providng , Fixing and Preperation of Vertical biowall frame with black planters on prepared steel frame or any other metallic frame –Fixing of Vertical Biowall frame on prepared steel or any other metallic frame or wall having black colour planters Filling of Vermicompost and Cocopeat in Planters in 1:1 proportion and pant a Shrub/Creeper/ Climbers. Excluding Cost of plant and excluding cost of steel or metallic frame on which biowall tobe install.	Sqm	1465	Providing and fixing of colourful vertical biowall planters having 15 cm size with clips with on prefixed metallic frame . Minimum 9 planters per sq.mtr. Filling of fixed vertical biowall with Cocopit and vermicompost at 1:1 proportion , planting of shrubs / plants as suggested by site incharge. Watering immediately after planting . Should be maintain and water @ of 6 lit per Sq.Mtr. up to 60 days free of cost , Filling of casualty up to 30 days.
20	R3-GW-7-13	Preperation of Pit and Planting of Tree In Escavated Pit hard surface – Filling of Excavatied Pit having 1Mtr. X 1Mtr.X 1Mtr. Size with Red Hill Earth and Cow Dung Mannure in 2:1 proportion and pant a tree with Stacking and preperation of Tree Basin for proper Irrigation . Excluding cost of Tree.	Nos	1417	Felling of Excavated pit by Fresh RHE and CDM in 2:1 proportion , well mixing of RHE,CDM , Digging pit in said mixture and plating of tree , proving and fixing of bamboo stacking after plantation , watering immediately @ 12 Lit per tree. Maintenance and Watering up to 60 days free of cost . Filling of casualty during the maintenance period without extra cost.
21	R3-GW-7-14	Preperation of Pit and Planting of Tree In Escavated Pit Soft surface – Filling of Escavatied Pit having 1Mtr. X 1Mtr.X 1Mtr. Size with Escavated soil, Red Hill Earth and Cow Dung Mannure in 1:1:1 proportion and pant a tree with Stacking and preperation of Tree Basin for proper Irrigation. Excluding cost of Tree.	Nos	976	Felling of Excavated pit by Excavated soil , RHE and CDM in 1:1:1 proportion , well mixing of Excavated soil RHE,CDM , Digging pit in said mixture and plating of tree , proving and fixing of bamboo stacking after plantation , watering immediately @ 12 Lit per tree. Maintenance and Watering up to 60 days free of cost . Filling of casualty during the maintenance period without extra cost.

22	R3-GW-7-15	Preparation of Pit and Planting of Tree In Excavated Pit for afforestation – Filling of Escavated Pit having 1Mtr. X 1Mtr.X 1Mtr. Size with Red Hill Earth and Cow Dung Mannure in 2:1 proportion and pant a tree with Stacking and preparation of Tree Basin for proper Irrigation. Excluding cost of Tree.	Nos	695	Felling of Excavated pit by Excavated soil , RHE and CDM in 1:1:1 proportion , well mixing of Excavated soil RHE,CDM , Digging pit in said mixture and plating of tree , proving and fixing of bamboo stacking after plantation , watering immediately @ 12 Lit per tree. Maintenance and Watering up to 60 days free of cost . Filling of casualty during the maintenance period without extra cost.
23	R3-GW-7-16	Providing and Fixing of Readymade High Density Polyethylene(HDPE) Vermibed of 450 GSMVermibed in Gardens having size 12ft.x4ft.x2ft	No.	2345	Vermibed made from HDPE material should be 450 GSM having size 12 Ft x 4 ft x 2 ft. (1000KG capacity ) , Fixing of Bed on flat surface by bamboos. Should be proper rectangular shape
24	R3-GW-7-18	Providing and Fixing of Shreading machine of 5 HP Motor ( 2 phase or 3 Phase ) for shreading of garden waste in Gardens	No.	168843	shredding machine with 3 phase 5 Horse Power motor , starter, reverse gear having drum diameter 500 mm x 300 mm. Fixing of machine at designated place with wiring up to 50 to 75 mtr. Distance , fixing of control panel at suitable location.
25	R3-GW-7-20	Maintenance of Vertical biowall Including cost of Water	SqM/Month	88	Watering Daily , weeding , pruning and edging , application of pesticides, fungicides, chemical fertilizers as when required, Top dressing of RHE and CDM in 2:1 proportion up to 5 cm depth in a year or 2.5 cm twice in a year. Loosening of soil in root zone .Filling of casualty of plants immediately if noticed without extra cost .(cost of water excluded in item )
26	R3-GW-7-21	Maintenance of Vertical biowall Excluding cost of Water	SqM/Month	67	Watering Daily , weeding , pruning and edging , application of pesticides, fungicides, chemical fertilizers as when required, Top dressing of RHE and CDM in 2:1 proportion up to 5 cm depth in a year or 2.5 cm twice in a year. Loosening of soil in root zone .Filling of casualty of plants immediately if noticed without extra cost .(cost of water included in item )

27	R3-GW-7-24	Maintenance of Newly planted Trees Including cost of water.	No. of tree per month	179	Watering Daily , weeding , pruning and edging , application of pesticides, fungicides, chemical fertilizers as when required, Top dressing of RHE and CDM in 2:1 proportion up to 5 cm depth in a year or 2.5 cm twice in a year. Loosening of soil in root zone .Filling of casualty of plants imidietly if noticed without extra cost .(cost of water included in item )Item should be operated for first two years only
28	R3-GW-7-26	Operation and Maintenance of composting / vermicomposting bed Excluding cost of water	No. of bed per month	1246	2 inch alternate Layering of shreaded green waste and cowdung manure in vermicomposting pit, proving earth worm of suitable species, watering to vermibed 20 lit per day. Cycle should be completed in 45 days, 2.71842 cubic mtr vermicampost must be generated from each vermibed at every 45 days cycle such minimum 4 cycle should be completed in a year ( Excluding cost of water)
29	R3-GW-7-27	Operation and Maintenance of composting / vermicomposting bed Including cost of water	No. of bed per month	1334	2 inch alternate Layering of shredded green waste and cowdung manure in vermicomposting pit, providing earth worm of suitable species, watering to vermibed 20 lit per day. Cycle should be completed in 45 days, 2.71842 cubic mtr vermicompost must be generated from each vermibed at every 45 days cycle such minimum 4 cycle should be completed in a year ( Cost of water included in item )
30	R3-GW-7-29	Maintenance of Open Gym Apparatus , Play apparatus	No. per month	139	Oiling, greasing, Minor repair such as replacing bearing, minor welding , replacing rubber belt etc. of apparatus and smooth working of each part apparatus Till declared as non working or non operation not fit and safe for use / fit to discard by Site in charge or concern authority.
31	R3-GW-7-30	Cleaning of Urinal & Toilet Block	per month/ seat	1948	Washing of urinal, platform and entire area of urinal seat by using detergent , anti bacterial chemicals and acids . Keep soap for washing of hands of users. Area should be free from toxic odour. Use room freshener if required.
<b>New Items</b>					



32	R3-GW-7-36	Maintenance of greenery in central divider / Traffic is-land/ Strip Garden/ greenery, excluding cost of water.	Sq. Mtr.	32	Maintenance of Lawn,shrubs,creepers,climbers,topiary and all greenery excluding tree variety by watering,prunning, and shapping as instructed by site incharge,, keeping greenery weed free, disease free, healthy, daily watering by watering avaiable at site by Municipal or supply from any other ready sources like well , bore well fround water etc. at the rate of 6 lit/sq mtr. .Application of weedicides, pesticides, fungicides as when required and as instructed by site incharge, keeping softscape Rhodent free applying suitable chemical for rhodents.Top dressing upto 5 cm twice in a year with mixture of RHE and CDM in 2:1 proportion. Cost of water excluded. Item should be operated where no protection arrangement require.
33	R3-GW-7-37	Maintenance of greenery in Central median/ Road Devider/ Traffic is-lands/ Strip Garden / greenery, including cost of water	Sq. Mtr	51	Maintenance of Lawn,shrubs,creepers,climbers,topiary and all greenery excluding tree variety by watering,prunning, and shaping as instructed by site incharge,, keeping greenery weed free, disease free, healthy, daily watering at the rate of 6 lit/sq mtr. .Application of weedicides, pesticides, fungicides as when required and as instructed by site incharge, keeping softscape Rhodent free applying suitable chemical for rhodents. Top dressing upto 5 cm twice in a year with mixture of RHE and CDM in 2:1 proportion. Cost of water included considering 8 month watering daily @ of 6 Lit/ Sq. Mtr. Excluding monsoon period,Water arrangement should be made by contractor. For bellow fly over garden indoor gardens water supply from other item should be operate for 4 month of monsoon period . Item should be operated where no protection arrangement require.
34	R3-GW-7-38	Maintenance of Electric fixtures in Garden	No/Month	139	Repair and Maintenance of ornamental Light fixtures including replacement of non working existing Lights bulbs, Tubes, Halogen, LED lights , Repair to minor defective wiring work , Fuse & Other electric features related to working of Lights Pole in Garden.

35	R3-GW-7-39	Protection and Maintenance of Garden excluding cost of water up to area 500 SqM Area	No/ Month	13990	Protection & Maintenance of Garden by sweeping of entire garden , cleaning of all garden benches and garden seatings,brushing for removing slippery algae from pathways if required , watering to lawn ,shrubs trees etc. maintaining shrubs , creepers, climber , topiary by Pruning as per requirement and as per require shapes , Mowing of Lawn at regular interval as instructed by officer incharge. Filling of gaps casualty of plants shrubs,levelling of any undulation of lawn , Protecting Plot Round the clock by chowkidar/ Watchman/ caretaker that includes protecting from unauthorized encroachment , opening and closing of garden , protecting all garden features from antisocial elements & theft of any garden feature , regulating garden rules regulation as instructed by site incharge by deployment of sufficient manpower as per requirement of site condition or as instructed by site incharge.(Cost of water not considered hence item should be operated wherever BMC water supply or groundwater or any other water availability like pond /water stream is available)
36	R3-GW-7-40	Lead for Every Sq. Mtr of Garden for Protection and Maintenance of Garden excluding cost of water above 500 Sq mtr	Per Sq. Mt/ Month	28	Protection & Maintenance of Garden by sweeping of entire garden , cleaning of all garden benches and garden seating,brushing for removing slippery algae from pathways if required , watering to lawn ,shrubs trees etc. maintaining shrubs , creepers, climber , topiary by Pruning as per requirement and as per require shapes , Mowing of Lawn at regular interval as instructed by officer incharge. Filling of gaps casualty of plants shrubs,levelling of any undulation of lawn , Protecting Plot Round the clock by chowkidar/ Watchman/ caretaker that includes protecting from unauthorized encroachment , opening and closing of garden , protecting all garden features from antisocial elements & theft of any garden feature , regulating garden rules regulation as instructed by site incharge by deployment of sufficient manpower as per requirement of site condition or as instructed by site incharge.(Cost of water not considered hence item should be operated wherever BMC water supply or groundwater or any other water availability like pond /water stream is available)

37	R3-GW-7-41	Protection and Maintenance of Garden including cost of water up to area 500 SqM Area	Per Month	23836	Protection & Maintenance of Garden by sweeping of entire garden , cleaning of all garden benches and garden seating,brushing for removing slippery algae from pathways if required , watering to lawn ,shrubs trees etc. maintaining shrubs , creepers, climber , topiary by Pruning as per requirement and as per require shapes , Mowing of Lawn at regular interval as instructed by officer incharge. Filling of gaps casualty of plants shrubs,levelling of any undulation of lawn , Protecting Plot Round the clock by chowkidar/ Watchman/ caretaker that includes protecting from unauthorized encroachment , opening and closing of garden , protecting all garden features from antisocial elements & theft of any garden feature , regulating garden rules regulation as instructed by site incharge by deployment of sufficient manpower as per requirement of site condition or as instructed by site incharge.(Cost of water considered for eight months excluding monsoon period )
38	R3-GW-7-42	Lead for every Sq. Mtr of Garden for Protection and Maintenance of Garden including cost of water above 500 Sq mtr	Per Sq. Mtr per Month	48	Protection & Maintenance of Garden by sweeping of entire garden , cleaning of all garden benches and garden seatings,brushing for removing slippery algae from pathways if required , watering to lawn ,shrubs trees etc. maintaining shrubs , creepers, climber , topiary by Pruning as per requirement and as per require shapes , Mowing of Lawn at regular interval as instructed by officer incharge. Filling of gaps casualty of plants shrubs,levelling of any undulation of lawn , Protecting Plot Round the clock by chowkidar/ Watchman / care taker that includes protecting from unauthorized encroachment , opening and closing of garden , protecting all garden features from antisocial elements & theft of any garden feature , regulating garden rules regulation as instructed by site incharge by deployment of sufficient manpower as per requirement of site condition or as instructed by site incharge.(Cost of water considered for eight months excluding monsoon period )

39	R3-GW-7-43	<b>Protection and Maintenance of Open Ground / Playground up to area 500 SqM Area</b>	Per Month	4230	Protection & Maintenance of Open Ground by sweeping , removal of rank vegetation by Weeding during Monsoon period , Removal of scattered stone regularly , Top Dressing with fine RHE @ 5 cm Depth twice in a year or @ 10 cm once in year Protecting Plot Round the clock by chowkidar/ Watchman that includes protecting from unauthorized encroachment , opening and closing of Ground , protecting all features which may damage by antisocial elements & from theft of any feature , regulating garden rules regulation as instructed by site incharge by deployment of sufficient manpower as per requirement of site condition or as instructed by site incharge.
40	R3-GW-7-44	Lead for Every Sq. Mtr of Open Ground / Play Ground for Protection and Maintenance of Ground excluding cost of water above 500 Sq mtr	Per Sq. Mtr per Month	8	Protection & Maintenance of Open Ground by sweeping , removal of rank vegetation by Weeding during Monsoon period , Removal of scattered stone regularly , Top Dressing with fine RHE @ 5 cm Depth twice in a year or @ 10 cm once in year Protecting Plot Round the clock by chowkidar/ Watchman that includes protecting from unauthorized encroachment , opening and closing of Ground , protecting all features which may damage by antisocial elements & from theft of any feature , regulating garden rules regulation as instructed by site incharge by deployment of sufficient manpower as per requirement of site condition or as instructed by site incharge.
41	R3-GW-7-45	<b>* Watering to play ground as &amp; when required including water cost upto 500 Sq.Mtr. Area</b>	No.	660	<b>sprinkling of water on the playground surface @ 3 lit per sqm as per site condition or as instructed by the site incharge.</b>
42	R3-GW-7-46	<b>* Lead For Watering to Playground for Each Sq. Mtr. Above 500 Sq. Mtr.</b>	Sq. Mtr	1.32	<b>sprinkling of water on the playground surface @ 3 lit per sqm as per site condition or as instructed by the site incharge.</b>
43	R3-GW-7-47	Preparation of Pit and planting of tree in excavated pit for afforestation by Miyawaki method.	Sq. Mtr	1695	Preparation of Pit and planting of tree in excavated pit for afforestation by Miyawaki method- Excavation for planting of tree on soft surface to the depth of 1 Mtr on soft surface. Filling of excavated pit having 1 Mtr X1 Mtr X1 Mtr size with Red Hill earth and Cow Dung Manure in 2:1 prportion and 10 kg paddy husk , 1 Lit Jivamrut per square meter and plant a tree with staking and maintenance till one month.(Excluding Plants)

44	R3-GW-7-48	Maintenance of trees planted by Miyawaki Method including cost of water by watering daily, stacking as and when require, filling casuality.	sqm/month	42	Maintenance of trees planted by Miyawaki Method including cost of water by watering daily, stacking as and when require, filling casuality. Basic unit 1500 Sq.mtr per year
----	------------	---	-----------	----	---

## 2. MATERIAL

Sr. No.	Item No	Short Description	UNIT	Rates	Long Description
45	R3-GW-3-1-C	Providing and laying Natural unpolished White Pebbles of size 30mm to 50mm	Kg	69	Providing and laying Natural unpolished White Pebbles of size 30mm to 50mm
46	R3-GW-3-1-D	Providing and laying Natural unpolished Black/Brown Pebbles of size 30mm to 50mm	Kg	63	Providing and laying Natural unpolished Black/Brown Pebbles of size 30mm to 50mm
47	R3-GW-3-1-E	Providing and laying Natural unpolished mixed colour Pebbles of size 5mm to 20mm laying	Kg	63	Providing and laying Natural unpolished mixed colour Pebbles of size 5mm to 20mm laying
48	R3-GW-3-1-F	Providing and laying Natural unpolished White Pebbles of size 75mm to 125mm.	Kg	63	Providing and laying Natural unpolished White Pebbles of size 75mm to 125mm.
49	R3-GW-3-1-G	Providing and laying Natural unpolished Black/Brown Pebbles of size 75mm to 125mm	Kg	63	Providing and laying Natural unpolished Black/Brown Pebbles of size 75mm to 125mm
50	R3-GW-3-1-H	Providing and laying Polished White Pebbles of size 75mm to 125mm laying in 3 layers	Kg	184	Providing and laying Polished White Pebbles of size 75mm to 125mm laying in 3 layers

51	R3-GW-3-1-I	Providing and laying Polished Black/Brown Pebbles of size 75mm to 125mm laying in 3 layers	Kg	207	Providing and laying Polished Black/Brown Pebbles of size 75mm to 125mm laying in 3 layers
52	R3-GW-4-1-A	POLY TUBE 16 MM.RD. CL III AS PER IS:12786	MTR	21	POLY TUBE 16 MM.RD. CL III AS PER IS:12786
53	R3-GW-4-1-B	POLY TUBE 20 MM. RD. CL III AS PER IS:12786	MTR	36	POLY TUBE 20 MM. RD. CL III AS PER IS:12786
54	R3-GW-4-1-C	POLY TUBE 25 MM. RD.CL III AS PER IS:12786	MTR	43	POLY TUBE 25 MM. RD.CL III AS PER IS:12786
55	R3-GW-4-1-D	POLY TUBE 32 MM. RD.CL III AS PER IS:12786	MTR	55	POLY TUBE 32 MM. RD.CL III AS PER IS:12786
56	R3-GW-4-1-E	LLDPE EXTENSION TUBE 6 MM. MINIMUM THICKNESS 1 MM.	MTR	14	LLDPE EXTENSION TUBE 6 MM. MINIMUM THICKNESS 1 MM.
57	R3-GW-4-1-F	LLDPE EXTENSION TUBE 8 MM. MINIMUM THICKNESS 1 MM.	MTR	15	LLDPE EXTENSION TUBE 8 MM. MINIMUM THICKNESS 1 MM.
58	R3-GW-4-2-A	IN LINE DRIP LINE 16MM. 4 LPH. 40 CMS. NON REGULATED CLASS III : IS: 13488	MTR	25	IN LINE DRIP LINE 16MM. 4 LPH. 40 CMS. NON REGULATED CLASS III : IS: 13488

59	R3-GW-4-2-B	IN LINE DRIP LINE 16MM. 2 LPH.TO 4 LPH. 30 CMS.CLASS II REGULATED : IS: 13488	MTR	24	IN LINE DRIP LINE 16MM. 2 LPH.TO 4 LPH. 30 CMS.CLASS II REGULATED : IS: 13488
60	R3-GW-4-2-C	IN LINE DRIP LINE 12MM. 2 LPH. TO 3.5 LPH. 30 CMS.CLASS III NON REGULATED: IS: 13488	MTR	23	IN LINE DRIP LINE 12MM. 2 LPH. TO 3.5 LPH. 30 CMS.CLASS III NON REGULATED: IS: 13488
61	R3-GW-4-2-D	DRIPPER 4 LPH./8 LPH. REGULATED. IS:13487	NOS	8	DRIPPER 4 LPH./8 LPH. REGULATED. IS:13487
62	R3-GW-4-2-E	DRIPPER 4 LPH./8 LPH. NON REGULATED.IS: 13487	NOS	7	DRIPPER 4 LPH./8 LPH. NON REGULATED.IS: 13487
63	R3-GW-4-2-F	Providing and Fixing , Installation of Drip and Sprinkler Irrigation system in gardens having area Up to 1000 Sq. Mtr. Incudes drips, Sprinkler, Filters, Pipes With 3 year warranty . Excluding Pumping Unit	Sq. MTR	241	Installation of drip and sprinkler irrigation system that includes main water lines, laterals, sublateral, driper and sprinkler and all spare parts required for Irrigation system , roviding and Fixing , Installation of Drip and Sprinkler Irrigation system in gardens having area Up to 1000 Sq. Mtr. Incudes drips, Sprinkler, Filters, Pipes With 3 year warranty. Excluding pumping system only.
64	R3-GW-4-2-G	Providing and Fixing , Installation of Drip and Sprinkler Irrigation system in gardens having area Up to 1000 Sq. Mtr. To 3000 Sq Mtr. Incudes drips, Sprinkler, Filters, Pipes with 3 year warranty . Excluding Pumping Unit	Sq. MTR	279	Installation of drip and sprinkler irrigation system that includes main water lines, laterals, sublateral, driper and sprinkler and all spare parts required for Irrigation system Providing and Fixing , Installation of Drip and Sprinkler Irrigation system in gardens having area Up to 1000 Sq. Mtr. To 3000 Sq Mtr. Incudes drips, Sprinkler, Filters, Pipes with 3 year warranty, Excluding pumping system only.
65	R3-GW-4-2-H	Providing and Fixing , Installation of Drip and Sprinkler Irrigation system in gardens having area above 3000 Sq. Mtr. Incudes drips, Sprinkler, Filters, Pipes with 3 year warranty . Excluding Pumping Unit	Sq. MTR	332	Installation of drip and sprinkler irrigation system that includes main water lines, laterals, sublateral, driper and sprinkler and all spare parts required for Irrigation system , Excluding pumping system only with 1 year gauranty.

66	R3-GW-4-2-I	Providing and Fixing , Installation of Drip and Fogger Irrigation system To Verticle biowall/ Verticle Garden . Incudes drips, Sprinkler,Foggers, Filters, Pipes and installation with 3 year warranty . Excluding Pumping Unit	Sq. MTR	1463	Installation of drip and fogger irrigation system that includes main water lines, laterals, sublateral, driper and sprinkler and all spare parts required for Irrigation system , Providing and Fixing, Installation of Drip and Fogger Irrigation system To Verticle biowall/Verticle Garden . Incudes drips, Sprinkler,Foggers, Filters, Pipes and installation with 3 year warranty . Excluding pumping system only.
67	R3-GW-4-2-J	Providing and Fixing , Installation of Automised Drip and Fogger Irrigation system To Verticle biowall/ Verticle Garden . Incudes drips, Sprinkler,Foggers, Filters, Pipes and installation with 3 year warranty . Excluding Pumping Unit	Sq. MTR	1729	Installation of drip and fogger irrigation system that includes main water lines, laterals, sublateral, driper and sprinkler and all spare parts required for Irrigation system , Providing and Fixing , Installation of Automised Drip and Fogger Irrigation system To Verticle biowall/ Verticle Garden . Incudes drips, Sprinkler,Foggers, Filters, Pipes and installation with 3 year warranty Excluding pumping system only.
68	R3-GW-4-3-A	FOGGERS 4 WAY ASSEMBLY WITH LOW/HIGH LPD -20 TO 30 LPH.	NOS	329	FOGGERS 4 WAY ASSEMBLY WITH LOW/HIGH LPD -20 TO 30 LPH.
69	R3-GW-4-3-B	FOGGERS 2 WAY ASSEMBLY WITH LOW/HIGH LPD -10 TO 20 LPH.	NOS	235	FOGGERS 2 WAY ASSEMBLY WITH LOW/HIGH LPD -10 TO 20 LPH.
70	R3-GW-4-3-C	FOGGERS SINGLE WAY ASSEMBLY WITH LOW/HIGH LPD -05 TO 10 LPH.	NOS	110	FOGGERS SINGLE WAY ASSEMBLY WITH LOW/HIGH LPD -05 TO 10 LPH.
71	R3-GW-4-4-A	BRIDGELESS MINI SPRINKLER ASSEMBLY WITH LEAK PREVENTION DEVICE, OPERATING PRESSURE 2 TO 3 KG./SQ.CM	NOS	188	BRIDGELESS MINI SPRINKLER ASSEMBLY WITH LEAK PREVENTION DEVICE, OPERATING PRESSURE 2 TO 3 KG./SQ.CM
72	R3-GW-4-4-B	MODULAR SPRINKLER WITH PLASTIC STAKE ASSEMBLY -OPERATING PRESSURE 1.5 TO 3 KGF. FLOW RATE 25 TO 400	NOS	392	MODULAR SPRINKLER WITH PLASTIC STAKE ASSEMBLY -OPERATING PRESSURE 1.5 TO 3 KGF. FLOW RATE 25 TO 400



73	R3-GW-4-4-C	TURBO HAMMER LOW VOLUME SPRINKLER ASSEMBLY 1 MTR. HEIGHT, OPERATING PRESSURE 1.5 KGF. 1/2" BSP. M/F	NOS	407	TURBO HAMMER LOW VOLUME SPRINKLER ASSEMBLY 1 MTR. HEIGHT, OPERATING PRESSURE 1.5 KGF. 1/2" BSP. M/F
74	R3-GW-4-4-D	LIGHT WEIGHT IMPACT TYPE SPRINKLER WITH SS RETRACTION SPRING , 1/2" M THREADED INLET FULL CIRCLE WI	NOS	705	LIGHT WEIGHT IMPACT TYPE SPRINKLER WITH SS RETRACTION SPRING , 1/2" M THREADED INLET FULL CIRCLE WI
75	R3-GW-4-4-E	LIGHT WEIGHT IMPACT TYPE SPRINKLER WITH SS RETRACTION SPRING , 1/2" M THREADED INLET PART CICLE 2.8	NOS	705	LIGHT WEIGHT IMPACT TYPE SPRINKLER WITH SS RETRACTION SPRING , 1/2" M THREADED INLET PART CICLE 2.8
76	R3-GW-4-4-F	LIGHT WEIGHT IMPACT TYPE SPRINKLER WITH SS RETRACTION SPRING , 3/4" M THREADED INLET FULL CIRCLE WI	NOS	1801	LIGHT WEIGHT IMPACT TYPE SPRINKLER WITH SS RETRACTION SPRING , 3/4" M THREADED INLET FULL CIRCLE WI
77	R3-GW-4-5-A	FOAM BUBBLE/ GEYSER JET FITTED ON UNIVERSAL BALL JOINT	NOS	260	FOAM BUBBLE/ GEYSER JET FITTED ON UNIVERSAL BALL JOINT
78	R3-GW-4-5-B	SS 304 FRAMED MESH COVER	NOS	392	SS 304 FRAMED MESH COVER
79	R3-GW-4-6-A	32MM. COMPRESSION JOINER	NOS	16	32MM. COMPRESSION JOINER
80	R3-GW-4-6-B	32MM. COMPRESSION TEE	NOS	19	32MM. COMPRESSION TEE

81	R3-GW-4-6-C	32MM. COMPRESSION END	NOS	14	32MM. COMPRESSION END
82	R3-GW-4-6-D	25MM. COMPRESSION JOINER	NOS	13	25MM. COMPRESSION JOINER
83	R3-GW-4-6-E	25MM. COMPRESSION TEE	NOS	14	25MM. COMPRESSION TEE
84	R3-GW-4-6-G	25 MM. COMPRESSION END	NOS	11	25 MM. COMPRESSION END
85	R3-GW-4-6-H	40MM. COMPRESSION JOINER	NOS	23	40MM. COMPRESSION JOINER
86	R3-GW-4-6-I	40MM. COMPRESSION TEE	NOS	31	40MM. COMPRESSION TEE
87	R3-GW-4-6-J	40MM. COMPRESSION END	NOS	22	40MM. COMPRESSION END
88	R3-GW-4-6-K	SCREEN FILTER Y TYPE 2" METAL – 25CUMH.IS:12785	NOS	7125	SCREEN FILTER Y TYPE 2" METAL – 25CUMH.IS:12785

89	R3-GW-4-6-L	SCREEN FILTER Y TYPE 2.5" METAL - 40 CUMH. IS:12785	NOS	8237	SCREEN FILTER Y TYPE 2.5" METAL - 40 CUMH. IS:12785
90	R3-GW-4-6-M	SCREEN FILTER Y TYPE 3" METAL - 50 CUMH. IS:12785	NOS	11870	SCREEN FILTER Y TYPE 3" METAL - 50 CUMH. IS:12785
91	R3-GW-4-6-N	PRESSURE GAUGE 2" GLY. FILLED	NOS	548	PRESSURE GAUGE 2" GLY. FILLED
92	R3-GW-4-7-A	MEDIA FILTER 2.5" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI	NOS	48566	MEDIA FILTER 2.5" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI
93	R3-GW-4-7-B	MEDIA FILTER 2.0" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI	NOS	38918	MEDIA FILTER 2.0" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI
94	R3-GW-4-7-C	MEDIA FILTER 3.0" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI	NOS	51127	MEDIA FILTER 3.0" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI
95	R3-GW-4-7-D	MEDIA FILTER 2.0" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI	NOS	38915	MEDIA FILTER 2.0" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI
96	R3-GW-4-7-E	MEDIA FILTER 2.5" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI	NOS	48655	MEDIA FILTER 2.5" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILI

97	R3-GW-4-7-G	MEDIA FILTER 3" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILICA	NOS	51127	MEDIA FILTER 3" HORIZONTAL IS 14606, BSP FLANGED 100 MIC; MAXIMUM OPERATING PRESSURE 10 KGF. SILICA
98	R3-GW-4-7-H	MEDIA FILTER AS ABOVE WITH FULL AUTOMATION 2.0" IS:14606	NOS	48938	MEDIA FILTER AS ABOVE WITH FULL AUTOMATION 2.0" IS:14606
99	R3-GW-4-7-I	MEDIA FILTER AS ABOVE WITH FULL AUTOMATION 2.5" - HORIZONTAL IS:14606	NOS	62302	MEDIA FILTER AS ABOVE WITH FULL AUTOMATION 2.5" - HORIZONTAL IS:14606
100	R3-GW-4-7-J	MEDIA FILTER AS ABOVE WITH FULL AUTOMATION 3" HORIZONTAL IS:14606	NOS	66649	MEDIA FILTER AS ABOVE WITH FULL AUTOMATION 3" HORIZONTAL IS:14606
101	R3-GW-4-8-A	CONTROL VALVE MADE OF RIGID PVC. COMPOUND COMPACT DOUBLE UNION TYPE WITH NITRILE RUBBER O RING, PTF	NOS	2631	CONTROL VALVE MADE OF RIGID PVC. COMPOUND COMPACT DOUBLE UNION TYPE WITH NITRILE RUBBER O RING, PTF
102	R3-GW-4-8-B	CONTROL VALVE MADE OF RIGID PVC. COMPOUND COMPACT DOUBLE UNION TYPE WITH NITRILE RUBBER O RING, PTF	NOS	2631	CONTROL VALVE MADE OF RIGID PVC. COMPOUND COMPACT DOUBLE UNION TYPE WITH NITRILE RUBBER O RING, PTF
103	R3-GW-4-8-C	IMPACT POP UP 1/2" FEMALE INLET, HEAVY DUTY PLASTIC ADJUSTABLE SPRINKLER 3.2 MM. NOZZLE & PLASTIC H	NOS	877	IMPACT POP UP 1/2" FEMALE INLET, HEAVY DUTY PLASTIC ADJUSTABLE SPRINKLER 3.2 MM. NOZZLE & PLASTIC H
104	R3-GW-4-8-D	LIGHT WEIGHT DUTY RAIN GUN WITH 1M STAND ASSEMBLY 1 1/2" -BSP MALE THREADED CONNECTION FC. OPERATIN	NOS	9333	LIGHT WEIGHT DUTY RAIN GUN WITH 1M STAND ASSEMBLY 1 1/2" -BSP MALE THREADED CONNECTION FC. OPERATIN

105	R3-GW-4-8-E	BIG VOLUME RAIN GUN - LIGHT WEIGHT HIGH TECH COMPOSITE MATERIAL - 2" BSP. FEMALE THREADED INLET, NO	NOS	13969	BIG VOLUME RAIN GUN - LIGHT WEIGHT HIGH TECH COMPOSITE MATERIAL - 2" BSP. FEMALE THREADED INLET, NO
106	R3-GW-4-8-G	2" OR 4 INCH POP UP ADJUSTABLE ROTOR - PLASTIC : HEAVY DUTY COMMERCIAL GRADE, 3/4" FEMALE INLET, DI	NOS	1954	2" OR 4 INCH POP UP ADJUSTABLE ROTOR - PLASTIC : HEAVY DUTY COMMERCIAL GRADE, 3/4" FEMALE INLET, DI
107	R3-GW-4-8-H	4" POP UP PLASTIC ROTOR : HEAVY DUTY COMMERCIAL GRADE FOR PARKS & GARDEN , 1" FEMALE INLET, EXPOSED	NOS	2474	4" POP UP PLASTIC ROTOR : HEAVY DUTY COMMERCIAL GRADE FOR PARKS & GARDEN , 1" FEMALE INLET, EXPOSED
108	R3-GW-4-8-I	PLASTIC SPRAY POP UP 2" TO 4" RISER : HEAVY DUTY COMMERCIAL GRADE FOR INSTITUTIONAL AND PUBLIC AREA	NOS	1018	PLASTIC SPRAY POP UP 2" TO 4" RISER : HEAVY DUTY COMMERCIAL GRADE FOR INSTITUTIONAL AND PUBLIC AREA
109	R3-GW-4-8-J	PLASTIC SPRAY POP UP 2" TO 4" RISER & 3 MTRS. TO 9MTRS. MULTI STREAM NOZZLE: HEAVY DUTY COMMERCIAL	NOS	1300	PLASTIC SPRAY POP UP 2" TO 4" RISER & 3 MTRS. TO 9MTRS. MULTI STREAM NOZZLE: HEAVY DUTY COMMERCIAL
110	R3-GW-4-8-K	1" SIZE PROFESSIONAL GRADE PLASTIC SOLENOID VALVE 24 VAC.	NOS	2114	1" SIZE PROFESSIONAL GRADE PLASTIC SOLENOID VALVE 24 VAC.
111	R3-GW-4-8-L	2" SIZE PROFESSIONAL GRADE PLASTIC SOLENOID VALVE 24 VAC.	NOS	8237	2" SIZE PROFESSIONAL GRADE PLASTIC SOLENOID VALVE 24 VAC.
112	R3-GW-4-8-M	4" SIZE PROFESSIONAL GRADE PLASTIC SOLENOID VALVE 24 VAC.	NOS	31713	4" SIZE PROFESSIONAL GRADE PLASTIC SOLENOID VALVE 24 VAC.

113	R3-GW-4-8-N	COMMERCIAL CONTROLLER 6 STATION PLASTIC CABINET, TRANSFORMER INPUT 240 VAC 50/60 HZ, OUTPUT = 24 VA	NOS	39805	COMMERCIAL CONTROLLER 6 STATION PLASTIC CABINET, TRANSFORMER INPUT 240 VAC 50/60 HZ, OUTPUT = 24 VA
114	R3-GW-4-9-A	UPVC. PIPE:ISI MARKED - IS 4985 32 MM. 10 KGF.	MTR	67	UPVC. PIPE:ISI MARKED - IS 4985 32 MM. 10 KGF.
115	R3-GW-4-9-B	UPVC. PIPE:ISI MARKED - IS 4985 40 MM. 10 KGF.	MTR	104	UPVC. PIPE:ISI MARKED - IS 4985 40 MM. 10 KGF.
116	R3-GW-4-9-C	UPVC. PIPE:ISI MARKED - IS 4985 50 MM. 6 KGF.	MTR	94	UPVC. PIPE:ISI MARKED - IS 4985 50 MM. 6 KGF.
117	R3-GW-4-9-D	UPVC. PIPE:ISI MARKED - IS 4985 50 MM. 8 KGF.	MTR	118	UPVC. PIPE:ISI MARKED - IS 4985 50 MM. 8 KGF.
118	R3-GW-4-9-E	UPVC. PIPE:ISI MARKED - IS 4985 50 MM. 10 KGF.	MTR	161	UPVC. PIPE:ISI MARKED - IS 4985 50 MM. 10 KGF.
119	R3-GW-4-9-F	UPVC. PIPE:ISI MARKED - IS 4985 63 MM. 6 KGF.	MTR	156	UPVC. PIPE:ISI MARKED - IS 4985 63 MM. 6 KGF.
120	R3-GW-4-9-G	UPVC. PIPE:ISI MARKED - IS 4985 63 MM. 8 KGF.	MTR	225	UPVC. PIPE:ISI MARKED - IS 4985 63 MM. 8 KGF.
121	R3-GW-4-9-H	UPVC. PIPE:ISI MARKED - IS 4985 63 MM.10 KGF.	MTR	238	UPVC. PIPE:ISI MARKED - IS 4985 63 MM.10 KGF.
122	R3-GW-4-9-I	UPVC. PIPE:ISI MARKED - IS 4985 75 MM. 6 KGF.	MTR	217	UPVC. PIPE:ISI MARKED - IS 4985 75 MM. 6 KGF.

123	R3-GW-4-9-J	UPVC. PIPE:ISI MARKED - IS 4985 75 MM. 8 KGF.	MTR	306	UPVC. PIPE:ISI MARKED - IS 4985 75 MM. 8 KGF.
124	R3-GW-4-9-K	UPVC. PIPE:ISI MARKED - IS 4985 75 MM.10 KGF.	MTR	340	UPVC. PIPE:ISI MARKED - IS 4985 75 MM.10 KGF.
125	R3-GW-4-9-L	UPVC. PIPE:ISI MARKED - IS 4985 90 MM. 6 KGF.	MTR	308	UPVC. PIPE:ISI MARKED - IS 4985 90 MM. 6 KGF.
126	R3-GW-4-9-M	UPVC. PIPE:ISI MARKED - IS 4985 90 MM. 8 KGF.	MTR	437	UPVC. PIPE:ISI MARKED - IS 4985 90 MM. 8 KGF.
127	R3-GW-4-9-N	UPVC. PIPE:ISI MARKED - IS 4985 90 MM.10 KGF.	MTR	487	UPVC. PIPE:ISI MARKED - IS 4985 90 MM.10 KGF.
128	R3-GW-4-9-O	UPVC. PIPE:ISI MARKED - IS 4985 110 MM. 6 KGF.	MTR	447	UPVC. PIPE:ISI MARKED - IS 4985 110 MM. 6 KGF.
129	R3-GW-4-9-P	UPVC. PIPE:ISI MARKED - IS 4985 110 MM. 8 KGF.	MTR	624	UPVC. PIPE:ISI MARKED - IS 4985 110 MM. 8 KGF.
130	R3-GW-4-9-Q	UPVC. PIPE:ISI MARKED - IS 4985 110 MM.10 KGF.	MTR	727	UPVC. PIPE:ISI MARKED - IS 4985 110 MM.10 KGF.
131	R3-GW-4-10-A	ELBOW 50 MM	NOS	70	ELBOW 50 MM
132	R3-GW-4-10-AA	SERVICE SADDLE 90 MM.	NOS	235	SERVICE SADDLE 90 MM.

133	R3-GW-4-10-AB	TAIL PIECE WITH FLANGE 110MM. 10KGF.	NOS	611	TAIL PIECE WITH FLANGE 110MM. 10KGF.
134	R3-GW-4-10-AC	TAIL PIECE WITH FLANGE 90MM. 10KGF.	NOS	485	TAIL PIECE WITH FLANGE 90MM. 10KGF.
135	R3-GW-4-10-AD	TAIL PIECE WITH FLANGE 75MM. 10KGF.	NOS	451	TAIL PIECE WITH FLANGE 75MM. 10KGF.
136	R3-GW-4-10-AE	TAIL PIECE WITH FLANGE 63 MM. 10 KGF.	NOS	388	TAIL PIECE WITH FLANGE 63 MM. 10 KGF.
137	R3-GW-4-10-B	ELBOW 63 MM	NOS	102	ELBOW 63 MM
138	R3-GW-4-10-C	ELBOW 75 MM	NOS	117	ELBOW 75 MM
139	R3-GW-4-10-D	ELBOW 90 MM	NOS	180	ELBOW 90 MM
140	R3-GW-4-10-E	ELBOW 110 MM	NOS	267	ELBOW 110 MM
141	R3-GW-4-10-F	TEE 50 MM	NOS	70	TEE 50 MM
142	R3-GW-4-10-G	TEE 63 MM	NOS	97	TEE 63 MM



143	R3-GW-4-10-H	TEE75 MM	NOS	125	TEE75 MM
144	R3-GW-4-10-I	TEE 90 MM	NOS	205	TEE 90 MM
145	R3-GW-4-10-J	TEE 110 MM	NOS	352	TEE 110 MM
146	R3-GW-4-10-K	END CAP 50 MM	NOS	25	END CAP 50 MM
147	R3-GW-4-10-L	END CAP 63 MM	NOS	39	END CAP 63 MM
148	R3-GW-4-10-M	END CAP 75 MM	NOS	55	END CAP 75 MM
149	R3-GW-4-10-N	END CAP 90 MM	NOS	81	END CAP 90 MM
150	R3-GW-4-10-O	COUPLER 50 MM.	NOS	31	COUPLER 50 MM.
151	R3-GW-4-10-P	COUPLER 63 MM.	NOS	42	COUPLER 63 MM.
152	R3-GW-4-10-Q	COUPLER 75 MM.	NOS	55	COUPLER 75 MM.

153	R3-GW-4-10-R	COUPLER 90 MM.	NOS	88	COUPLER 90 MM.
154	R3-GW-4-10-S	COUPLER 110 MM.	NOS	149	COUPLER 110 MM.
155	R3-GW-4-10-T	REDUCER 110 X 90 MM.	NOS	139	REDUCER 110 X 90 MM.
156	R3-GW-4-10-U	REDUCER 90X 75 MM.	NOS	83	REDUCER 90X 75 MM.
157	R3-GW-4-10-V	REDUCER 75X 63 MM.	NOS	61	REDUCER 75X 63 MM.
158	R3-GW-4-10-W	REDUCER 63X50 MM.	NOS	50	REDUCER 63X50 MM.
159	R3-GW-4-10-X	SERVICE SADDLE 50 MM.	NOS	172	SERVICE SADDLE 50 MM.
160	R3-GW-4-10-Y	SERVICE SADDLE 63 MM.	NOS	188	SERVICE SADDLE 63 MM.
161	R3-GW-4-10-Z	SERVICE SADDLE 75 MM.	NOS	219	SERVICE SADDLE 75 MM.
162	R3-GW-4-11-A	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 50 MM. 6 KGF.	MTR	139	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 50 MM. 6 KGF.

163	R3-GW-4-11-B	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 50 MM. 8 KGF.	MTR	179	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 50 MM. 8 KGF.
164	R3-GW-4-11-C	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 50 MM. 10 KGF.	MTR	211	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 50 MM. 10 KGF.
165	R3-GW-4-11-D	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 63 MM. 6 KGF.	MTR	218	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 63 MM. 6 KGF.
166	R3-GW-4-11-E	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 63 MM. 8 KGF.	MTR	277	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 63 MM. 8 KGF.
167	R3-GW-4-11-F	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 63 MM. 10 KGF.	MTR	334	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 63 MM. 10 KGF.
168	R3-GW-4-11-G	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 75 MM. 6 KGF.	MTR	310	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 75 MM. 6 KGF.
169	R3-GW-4-11-H	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 75 MM. 8 KGF.	MTR	392	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 75 MM. 8 KGF.
170	R3-GW-4-11-I	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 75 MM. 10 KGF.	MTR	471	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 75 MM. 10 KGF.
171	R3-GW-4-11-J	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 90 MM. 6 KGF.	MTR	440	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 90 MM. 6 KGF.
172	R3-GW-4-11-K	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 90 MM. 8 KGF.	MTR	561	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 90 MM. 8 KGF.
173	R3-GW-4-11-L	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 90 MM. 10 KGF.	MTR	673	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 90 MM. 10 KGF.

174	R3-GW-4-11-M	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 110 MM. 6 KGF.	MTR	659	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 110 MM. 6 KGF.
175	R3-GW-4-11-N	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 110 MM. 8 KGF.	MTR	838	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 110 MM. 8 KGF.
176	R3-GW-4-11-O	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 110 MM. 10KGF.	MTR	998	HDPE. PE 80 PIPE : ISI MARKED - IS 4984 110 MM. 10KGF.
177	R3-GW-4-12-D	QRC HDPE 63MM. SERVICE SADDLE	NOS	235	QRC HDPE 63MM. SERVICE SADDLE
178	R3-GW-4-12-E	QRC HDPE 75MM. SERVICE SADDLE	NOS	251	QRC HDPE 75MM. SERVICE SADDLE
179	R3-GW-4-12-F	QRC HDPE 90MM. SERVICE SADDLE	NOS	313	QRC HDPE 90MM. SERVICE SADDLE
180	R3-GW-4-12-G	QRC HDPE PUMP CONNECTING NIPPLE 63 MM	NOS	548	QRC HDPE PUMP CONNECTING NIPPLE 63 MM
181	R3-GW-4-12-H	QRC HDPE PUMP CONNECTING NIPPLE 75 MM	NOS	626	QRC HDPE PUMP CONNECTING NIPPLE 75 MM
182	R3-GW-4-12-I	QRC HDPE PUMP CONNECTING NIPPLE 90 MM	NOS	673	QRC HDPE PUMP CONNECTING NIPPLE 90 MM
183	R3-GW-4-12-S	HDPE PIPE WITH QRC CLASS III 110 MM 4 KGF. 6M	NOS	844	HDPE PIPE WITH QRC CLASS III 110 MM 4 KGF. 6M
184	R3-GW-4-12-T	RAIN GUN STAND 1.5 MTR HT. TRIPOD	NOS	7078	RAIN GUN STAND 1.5 MTR HT. TRIPOD

185	R3-GW-4-12-U	RAIN GUN STAND 2.0 MTR HT. TRIPOD	NOS	8754	RAIN GUN STAND 2.0 MTR HT. TRIPOD
186	R3-GW-4-13-A	HDPE ELBOW 50 MM	NOS	133	HDPE ELBOW 50 MM
187	R3-GW-4-13-B	HDPE ELBOW 63 MM	NOS	149	HDPE ELBOW 63 MM
188	R3-GW-4-13-C	HDPE ELBOW 75 MM	NOS	274	HDPE ELBOW 75 MM
189	R3-GW-4-13-D	HDPE ELBOW 90 MM	NOS	329	HDPE ELBOW 90 MM
190	R3-GW-4-13-E	HDPE TEE 50 MM.	NOS	196	HDPE TEE 50 MM.
191	R3-GW-4-13-F	HDPE TEE 63 MM.	NOS	224	HDPE TEE 63 MM.
192	R3-GW-4-13-G	HDPE TEE 75 MM.	NOS	362	HDPE TEE 75 MM.
193	R3-GW-4-13-H	HDPE TEE 90 MM.	NOS	601	HDPE TEE 90 MM.
194	R3-GW-4-13-I	HDPE SERVICE SADDLE 50 MM.	NOS	188	HDPE SERVICE SADDLE 50 MM.
195	R3-GW-4-13-J	HDPE SERVICE SADDLE 63 MM.	NOS	204	HDPE SERVICE SADDLE 63 MM.

196	R3-GW-4-13-K	HDPE SERVICE SADDLE 75 MM.	NOS	219	HDPE SERVICE SADDLE 75 MM.
197	R3-GW-4-13-L	HDPE SERVICE SADDLE 90 MM.	NOS	235	HDPE SERVICE SADDLE 90 MM.
198	R3-GW-4-13-M	HDPE SERVICE SADDLE 110 MM.	NOS	251	HDPE SERVICE SADDLE 110 MM.
199	R3-GW-4-13-N	HDPE PIPE END 50 MM. 6 KGF.	NOS	121	HDPE PIPE END 50 MM. 6 KGF.
200	R3-GW-4-13-O	HDPE PIPE END 63 MM. 6 KGF.	NOS	138	HDPE PIPE END 63 MM. 6 KGF.
201	R3-GW-4-13-P	HDPE PIPE END 75 MM. 6 KGF.	NOS	172	HDPE PIPE END 75 MM. 6 KGF.
202	R3-GW-4-13-Q	HDPE PIPE END 90 MM. 6 KGF.	NOS	305	HDPE PIPE END 90 MM. 6 KGF.
203	R3-GW-4-13-R	HDPE PIPE END 110 MM. 6 KGF.	NOS	305	HDPE PIPE END 110 MM. 6 KGF.
204	R3-GW-4-13-S	FLUSH VALVE PLASTIC 50 MM.	NOS	235	FLUSH VALVE PLASTIC 50 MM.
205	R3-GW-4-13-T	FLUSH VALVE PLASTIC 63 MM.	NOS	298	FLUSH VALVE PLASTIC 63 MM.
206	R3-GW-4-13-U	SOLVENT CEMENT 1 LIT.	NOS	861	SOLVENT CEMENT 1 LIT.

207	R3-GW-5-1	Acalypha wilkesiana 6 " hight Acalypha Batic 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
208	R3-GW-5-2	Acalypha wilkesiana 6 " hight Acalypha Dwarf 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
209	R3-GW-5-3	Acalypha wilkesiana 6 " hight Acalypha Java 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
210	R3-GW-5-4	Acalypha wilkesiana 6 " hight Acalypha Ceylon 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
211	R3-GW-5-5	Acalypha wilkesiana6 " hight Acalypha Acrophylla 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
212	R3-GW-5-6	Acalypha wilkesiana6 " hight Acalypha Tahiti 6 “ to 9 “ height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
213	R3-GW-5-7	Allamanda cathartica6 " hight Dwarf Green Allam 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
214	R3-GW-5-8	Allamanda cathartica6 " hight Dwarf Silver Allam 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

215	R3-GW-5-9	Alternanthera betzickiana 6 " hight Red/Green Alternanthera 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
216	R3-GW-5-10	Alternanthera betzickiana 6 " hight Verigated Alternanthera 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
217	R3-GW-5-11	Alternanthera versicolor 6 " hight Black Alternanthera 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
218	R3-GW-5-12	Asparagus springeri shatawari 6 "to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
219	R3-GW-5-13	Baxus microphylla 6 "to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
220	R3-GW-5-14	Bougainvillea glabra Purple Single Flowers 6 "to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
221	R3-GW-5-15	Bougainvillea butiana Lady Mary Bearing 6 "to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
222	R3-GW-5-16	Bougainvillea pixie 6 "to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.



223	R3-GW-5-17	Bougainvillea purviana Partha Red Single 6 "to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
224	R3-GW-5-18	Bougainvillea purvian Mary Palmer 6 "to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
225	R3-GW-5-19	Bougainvillea purviana Shubhra (White) 6 "to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
226	R3-GW-5-20	Bougainvillea purviana Thimma 6 "to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
227	R3-GW-5-21	Bougainvillea sp. Dr. Rao , Dr. Bhabha 6 "to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
228	R3-GW-5-22	Bougainvillea sp. Mix Var. Specimen 6 "to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
229	R3-GW-5-23	Butiana mahara' Red Double Flowers 6 "to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
230	R3-GW-5-24	Butiana mohan' Pink double flower 6 "to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

231	R3-GW-5-25	Caeslapinia pulcherima Red / Pink /Yellow 6 "to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
232	R3-GW-5-26	Calliandra emarginata Dwarf Red Calliandra 6 "to 9 " height excluding pollybag	NOS	51	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
233	R3-GW-5-27	Canna sp. Dwarf Canna Varieties 6 "to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
234	R3-GW-5-28	Canna sp. Ordinary Varieties 6 "to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
235	R3-GW-5-29	Canna variegata Canna Varigated 6 "to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
236	R3-GW-5-30	Cestrum nocturnum Raat Rani 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
237	R3-GW-5-31	Cestrum diurnum Din Ka Raja 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
238	R3-GW-5-32	Codieum variegatum Ordinary Croton 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

239	R3-GW-5-33	Codieum variegatum Yellow/Green Croton 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
240	R3-GW-5-34	Codieum variegatum Crispum Croton 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
241	R3-GW-5-35	Codieum variegatum Duck Foot Croton 6 "to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
242	R3-GW-5-36	Codieum variegatum Petra croton 6 "to 9 " height excluding pollybag	NOS	67	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
243	R3-GW-5-37	Codieum variegatum Hybrid croton 6 "to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
244	R3-GW-5-38	Codieum variegatum Assorted variety 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
245	R3-GW-5-39	Chlorophytum comosum Spider Plant 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
246	R3-GW-5-40	Chlorophytum laxum Dwarf Chlorophytum 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
247	R3-GW-5-41	Chlorophytum Species Dusty Miller 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

248	R3-GW-5-42	Chrysothemis pulcherima 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
249	R3-GW-5-43	Vekhand 6 "to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
250	R3-GW-5-44	Coleus 6 "to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
251	R3-GW-5-45	Coleus 6 "to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
252	R3-GW-5-46	Coleus aromatica 6 "to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
253	R3-GW-5-47	Crossandra undulaefolia 6 "to 9 " height excluding pollybag	NOS	48	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
254	R3-GW-5-48	Cynodon species American blue grass 10 kg pollybag	NOS	71	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
255	R3-GW-5-49	Dracaena colorama 6 "to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
256	R3-GW-5-50	Dressina 6 "to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

257	R3-GW-5-51	Duranta repens Golden duranta 6 "to 9 " height excluding pollybag	NOS	16	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
258	R3-GW-5-52	Duranta repens finge Sunshine duranta 6 "to 9 " height excluding pollybag	NOS	21	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
259	R3-GW-5-53	Duranta speciosa Broad leaf variegated duranta 6 "to 9 " height excluding pollybag	NOS	21	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
260	R3-GW-5-54	Duranta variegata Variegated Duranta 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
261	R3-GW-5-55	Eranthemum albomarginatum White Eranthemum` 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
262	R3-GW-5-56	Eranthemum bicolor Yellow Eranthemum 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
263	R3-GW-5-57	Eranthemum reticulatum Golden Eranthemum 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
264	R3-GW-5-58	Eranthemum Tricolor Pink Eranthemum 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
265	R3-GW-5-59	Euphorbia caracasana Burgandy leaves 6 "to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

266	R3-GW-5-60	Excoecaria bicolor Laila Majnu 6 "to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
267	R3-GW-5-61	Ficus benjamina Benjamina Corporata 6 "to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
268	R3-GW-5-62	Ficus benjamina Bushy Prince Ficus 6 "to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
269	R3-GW-5-63	Ficus benjamina Ficus Nuda 6 "to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
270	R3-GW-5-64	Ficus benjamina variegata Ficus Nuda 6 "to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
271	R3-GW-5-65	Ficus benjamina variegated Variegated Ficus 6 "to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
272	R3-GW-5-66	Ficus Nitida Ficus Panda 6 "to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
273	R3-GW-5-67	Ficus benjamina variegata Starlight Ficus 6 "to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
274	R3-GW-5-68	Galphimia glauca Canary Bush 6 "to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

275	R3-GW-5-69	Gardenia jasminoides Anant 6 "to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
276	R3-GW-5-70	Gynura aurantica 6 "to 9 " height excluding pollybag	NOS	54	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
277	R3-GW-5-71	Hamilia patens 6 "to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
278	R3-GW-5-72	Heliconia humilis Red / Oranger flowers 6 "to 9 " height excluding pollybag	NOS	115	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
279	R3-GW-5-73	Heliconia metallica Red leaf Heliconia 6 "to 9 " height excluding pollybag	NOS	115	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
280	R3-GW-5-74	Heliconia pisttacorom Yellow flower 6 "to 9 " height excluding pollybag	NOS	63	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
281	R3-GW-5-75	Hibiscus mutabilis Bhendi Gulab 6 "to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
282	R3-GW-5-76	Hibiscus rosasinensis La France Pink / White 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
283	R3-GW-5-77	Hibiscus rosasinensis Hawaiian Hibiscus 6 "to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

284	R3-GW-5-78	Hibiscus rosasinensis Snow Flake Hibiscus 6 "to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
285	R3-GW-5-79	Hydrangia macrophylla Hy-drangia 6 "to 9 " height excluding pollybag	NOS	75	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
286	R3-GW-5-80	Ixora chinensis Prince Of Orange 6 "to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
287	R3-GW-5-81	Ixora chinensis cv. Lutea Yellow Ixora 6 "to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
288	R3-GW-5-82	Ixora chinensis cv. Sunkist Ixora Nana Pink 6 "to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
289	R3-GW-5-83	Ixora chinensis cv. Sunkist Ixora Nana Red 6 "to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
290	R3-GW-5-84	Ixora Duffi Red Flowered Ixora 6 "to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
291	R3-GW-5-85	Ixora Singaporensis Orange Ixora 6 "to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
292	R3-GW-5-86	Ixora Singaporensis Yellow Single Ixora 6 "to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.



293	R3-GW-5-87	Iresine 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
294	R3-GW-5-88	Jasminum pubescens Kund 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
295	R3-GW-5-89	Jasminum sambac Mogra 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
296	R3-GW-5-90	Jasminum Sp. Jai / Jui 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
297	R3-GW-5-91	Jatropha Pandurifolia Jatropha 6 "to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
298	R3-GW-5-92	Juniperus prostate Cascading Juniperus 14"- 18" height excluding pollybag	NOS	115	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
299	R3-GW-5-93	Juniperus pyramidalis Temple Juniperus 3'-4 ' height excluding pollybag	NOS	98	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
300	R3-GW-5-94	Lantena camera depressa Yellow Lantena 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
301	R3-GW-5-95	Lantena camera sanguinea Haldikunku Lantena 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

302	R3-GW-5-96	Lantena camera Pink Pink Lantena 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
303	R3-GW-5-97	Lantena sellowiana Purple Creeping 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
304	R3-GW-5-98	Lantena sellowiana White Creeping 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
305	R3-GW-5-99	Magnolia pumila Kavthi Chapha 6 "to 9 " height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
306	R3-GW-5-100	Lawsonia inermis 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
307	R3-GW-5-101	Malpighia coccigera Barbados Cherry 6 "to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
308	R3-GW-5-102	Manihot esculentus Variegated tapioca 6 "to 9 " height excluding pollybag	NOS	60	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
309	R3-GW-5-103	Maranta Zebrina 6 "to 9 " height excluding pollybag	NOS	60	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
310	R3-GW-5-104	Mentha veridis 6 "to 9 " height excluding pollybag	NOS	58	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

311	R3-GW-5-105	Meyenia Erecta Meena 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
312	R3-GW-5-106	Murraya Exotica Kamini 6 "to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
313	R3-GW-5-107	Mussaenda Erythrophylla Red Single Mussaenda 9 "to 12" height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
314	R3-GW-5-108	Mussaenda Erythrophylla Orange Mussaenda 9 "to 12" height excluding pollybag	NOS	69	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
315	R3-GW-5-109	Mussaenda erythrophylla Red Mussaenda 9 "to 12" height excluding pollybag	NOS	69	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
316	R3-GW-5-110	Mussaenda Phillipica Pink Mussaenda 9 "to 12" height excluding pollybag	NOS	69	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
317	R3-GW-5-111	Mussaenda Phillipica White Mussaenda 9 "to 12" height excluding pollybag	NOS	69	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
318	R3-GW-5-112	Mussaenda Lutea Yellow Mussaenda9 "to 12" height excluding pollybag	NOS	69	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
319	R3-GW-5-113	Mussaenda Red Double Mussaenda 9 "to 12" height excluding pollybag	NOS	69	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

320	R3-GW-5-114	Nerium oleander album White Kanher 6 "to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
321	R3-GW-5-115	Nerium oleander carnea Pink Kanher 6 "to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
322	R3-GW-5-116	Nerium oleander variegata Pink variegated Kanher 6 "to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
323	R3-GW-5-117	Nerium petit salmon Dwarf Nerium 6 "to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
324	R3-GW-5-118	Oscimum scantum Tulsi 6 "to 9 " height excluding pollybag	NOS	12	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
325	R3-GW-5-119	Pachystachys lutea Lolipop Plant 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
326	R3-GW-5-120	Pentas lanceolata alba White Pentas 6 "to 9 " height excluding pollybag	NOS	37	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
327	R3-GW-5-121	Pentas lanceolata carnea Pink Pentas 6 "to 9 " height excluding pollybag	NOS	36	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
328	R3-GW-5-122	Pentas karmesiana Red Pentas 6 "to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

329	R3-GW-5-123	Phyllanthus nivosus Snow Bush 6 "to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
330	R3-GW-5-124	Pisonia alba Pisonia 6 "to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
331	R3-GW-5-125	Plumbago auriculata Chitrak / Plumbago 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
332	R3-GW-5-126	Punica granatum cv. Nana Mini Pomegranate 6 "to 9 " height excluding pollybag	NOS	37	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
333	R3-GW-5-127	Ravenia spectabilis Limonia 6 "to 9 " height excluding pollybag	NOS	37	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
334	R3-GW-5-128	Russelia juncea Weeping Mary 6 "to 9 " height excluding pollybag	NOS	21	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
335	R3-GW-5-129	Russelia juncea Yellow Weeping Mary 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
336	R3-GW-5-130	Tabernaemontana coron Single / double Tagar 6 "to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
337	R3-GW-5-131	Philodendron Ceylon 6 "to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

338	R3-GW-5-132	Phyllanthus 6 "to 9 " height excluding pollybag	NOS	86	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
339	R3-GW-5-133	Hemigraphis colorata hemigraphis 6 "to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
340	R3-GW-5-134	Pilea cadeiri Aluminium plant 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
341	R3-GW-5-135	Pilea microphylla 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
342	R3-GW-5-136	Pilea muscosa 6 "to 9 " height excluding pollybag	NOS	21	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
343	R3-GW-5-137	Pilea serpyllacea 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
344	R3-GW-5-138	Altanenthera red Ground cover Red bhaji 6 "to 9 " height excluding pollybag	NOS	10	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
345	R3-GW-5-139	Altanenthera Green Ground cover White varigated 6 "to 9 " height excluding pollybag	NOS	10	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
346	R3-GW-5-140	Altanenthera varigated Ground cover Red varigated 6 "to 9 " height excluding pollybag	NOS	10	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

347	R3-GW-5-141	Portulaca grandiflora Office Time Double 4" to 6" height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
348	R3-GW-5-142	Portulaca olracea Office Time 4" to 6" height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
349	R3-GW-5-143	Ficus repense IVY variegated 4" to 6" height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
350	R3-GW-5-144	Fire firm red Fire Firm Red 6 "to 9 " height excluding pollybag	NOS	69	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
351	R3-GW-5-145	Roheo discolor Rhoeo Nana 4" to 6" height excluding pollybag	NOS	12	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
352	R3-GW-5-146	Roheo discolor Rhoeo Tall 4" to 6" height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
353	R3-GW-5-147	Brahmi Brahmi 6 "to 9 " height excluding pollybag	NOS	37	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
354	R3-GW-5-148	Schefflera 12" to 18 "height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
355	R3-GW-5-149	Sedum S. 6 "to 9 " height excluding pollybag	NOS	63	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

356	R3-GW-5-150	Semecio contusus 6 "to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
357	R3-GW-5-151	Setcreasea purpurea Purple Herb 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
358	R3-GW-5-152	Spathiphyllum cupida/petite 6 "to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
359	R3-GW-5-153	Tradescantia albiflora Trade., ThickStrip 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
360	R3-GW-5-154	Tradescantia fluminensis Trade Thin Strip 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
361	R3-GW-5-155	Spathiphyllum hybrid 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
362	R3-GW-5-156	Mini tagar 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
363	R3-GW-5-157	Thuja compacta 3' to 4' height excluding pollybag	NOS	58	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
364	R3-GW-5-158	Verbena 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.



365	R3-GW-5-159	Waddlea trilobata 3 "to 4 " height excluding pollybag	NOS	10	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
366	R3-GW-5-160	Zebrina pendula 3 "to 4 " height excluding pollybag	NOS	12	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
367	R3-GW-5-161	Arundodonax verricosa 6 "to 9 " height excluding pollybag	NOS	31	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
368	R3-GW-5-162	Ipomia batatus Golden ipomia 6 "to 9 " height excluding pollybag	NOS	20	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
369	R3-GW-5-163	Lantena variegated Variegated leaf 6 "to 9 " height excluding pollybag	NOS	14	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
370	R3-GW-5-164	Hypoestes sanguinolenta 6 "to 9 " height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
371	R3-GW-5-165	Bismarckia nobilis Poted Plastic Pots dia .24" on top plant height 3 ft excluding pot	NOS	1955	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
372	R3-GW-5-166	Bismarckia nobilis 3 ft height excluding pollybag	NOS	863	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
373	R3-GW-5-167	Aglaonema commutatum 6 "to 9 " height excluding pollybag	NOS	150	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

374	R3-GW-5-168	Alpinia speciosa 6 "to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
375	R3-GW-5-169	Caladium hortulanum 6 "to 9 " height excluding pollybag	NOS	98	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
376	R3-GW-5-170	Callistephus chinensis 6 "to 9 " height excluding pollybag	NOS	75	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
377	R3-GW-5-171	Chamaedorea metallica Plastic Pot 18” at top and plant height 2 ft. 6 “	NOS	294	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
378	R3-GW-5-172	Chamaedorea metallica 2' height excluding pollybag	NOS	403	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
379	R3-GW-5-173	Chrysalidocarpus lutecens Plastic Pot 18” at top and plant height 2 ft. 6 “	NOS	546	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
380	R3-GW-5-174	Chrysalidocarpus lutecens 3' height excluding pollybag	NOS	173	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
381	R3-GW-5-175	Cycas revolute Plastic Pot 18” at top and plant height 3 “	NOS	3220	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
382	R3-GW-5-176	Cycas revolute 3' height excluding pollybag	NOS	1725	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

383	R3-GW-5-177	Cyrtostachys renda Plastic Pot 18” at top and plant height 2 ft. 6 “	NOS	633	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
384	R3-GW-5-178	Cyrtostachys renda 3 ' Height excluding pollybag	NOS	253	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
385	R3-GW-5-179	Dieffenbachia Ceylon 6 "to 9 " height excluding pollybag	NOS	60	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
386	R3-GW-5-180	Dracaena colorama 9" to 12" height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
387	R3-GW-5-181	Euphorbia pulcherrima 12” to 18” height excluding pollybag	NOS	250	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
388	R3-GW-5-182	Furcurea gigantea Pot 18” at top and plant height 2 ft. 6 “	NOS	575	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
389	R3-GW-5-183	Furcurea gigantea plant height 2 ft. 6 “	NOS	155	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
390	R3-GW-5-184	Gerbera hybrids tissue culture 6 "to 9 " height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
391	R3-GW-5-185	Impatiens walleriana 6 "to 9 " height excluding pollybag	NOS	63	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

392	R3-GW-5-186	Ipomea harsifolia 6 "to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
393	R3-GW-5-187	Jacquemontia 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
394	R3-GW-5-188	Jasminum officinanalisis 6 "to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
395	R3-GW-5-189	Kalanchoe blossfeldiana 6 "to 9 " height excluding pollybag	NOS	98	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
396	R3-GW-5-190	Monstera deliciosa 6 "to 9 " height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
397	R3-GW-5-191	Monstera obliqua 6 "to 9 " height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
398	R3-GW-5-192	Nephrolepis aurea 6 "to 9 " height excluding pollybag	NOS	69	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
399	R3-GW-5-193	Nephrolepis biserrata 6 "to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
400	R3-GW-5-194	Nephrolepis cordifolia 6 "to 9 " height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

401	R3-GW-5-195	Passiflora carrulea 6 "to 9 " height excluding pollybag	NOS	39	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
402	R3-GW-5-196	Verbena white 6 "to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
403	R3-GW-5-197	Petunia grandiflora various colour 4 "to 6 " height at flowering stage excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
404	R3-GW-5-198	Phonix palm 4 ' Ft. height excluding pollybag	NOS	1725	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
405	R3-GW-5-199	Pink singonium 6 "to 9 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
406	R3-GW-5-200	Piper betel 6 "to 9 " height excluding pollybag	NOS	58	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
407	R3-GW-5-201	Plumeria acutifolia 4 ' Ft. height excluding pollybag	NOS	403	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
408	R3-GW-5-202	Plumeria alba 4 ' Ft. height excluding pollybag	NOS	359	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
409	R3-GW-5-203	Plumeria rubra 4 ' Ft. height excluding pollybag	NOS	328	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

410	R3-GW-5-204	Pytostegia vemusta 6 "to 9 " height excluding pollybag	NOS	31	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
411	R3-GW-5-205	Quisqualis indica 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
412	R3-GW-5-206	Salvia splendens 6 "to 9 " height at flowering stage excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
413	R3-GW-5-207	Schampegne palm 4 ' Ft. height excluding pollybag	NOS	4600	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
414	R3-GW-5-208	Tagetes erecta 6 "to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
415	R3-GW-5-209	Thunburgia fragrans 6 "to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
416	R3-GW-5-210	Thurburgia laurifolia 6 "to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
417	R3-GW-5-211	Vernena 6 "to 9 " height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
418	R3-GW-5-212	Vinca Spp. Hybrid 6 "to 9 " height at flowering stage excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

419	R3-GW-5-213	Washingtonia palm 3' to 4' height excluding pollybag	NOS	4888	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
420	R3-GW-5-214	Song Of India 6 "to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
421	R3-GW-5-215	Ficus Purvula 6 "to 9 " height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
422	R3-GW-5-216	Cuphea Blue 6 "to 9 " height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
423	R3-GW-5-217	Zafer Lily 6 "to 9 " height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
424	R3-GW-5-218	Brassia Actinophylla 6 "to 9 " height excluding pollybag	NOS	98	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
425	R3-GW-5-219	Silver Yucca 9 "to 12 " height excluding pollybag	NOS	127	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
426	R3-GW-5-220	Ticoma Gavdi Chavdi 9 "to 12 " height excluding pollybag	NOS	46	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
427	R3-GW-5-221	Bambusa multiplex 12"height excluding pollybag	NOS	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

428	R3-GW-5-222	Bambusa Species 12 "to 18 "height excluding pollybag	NOS	98	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
429	R3-GW-5-223	Bambusa ventricosa 12 "to 18 "height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
430	R3-GW-5-224	Bambusa vulgaris 12 "to 18 "height excluding pollybag	NOS	52	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
431	R3-GW-5-225	Lagerstomia indica 4' to 5 ' height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
432	R3-GW-5-226	Lagerstomia throlie 4' to 5 ' height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
433	R3-GW-5-227	Lagerstomia falsereginie 4' to 5 ' height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
434	R3-GW-5-228	Lagerstomia speciosa 4' to 5 ' height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
435	R3-GW-5-229	Acacia arubica Babul 4' to 5 ' height excluding pollybag	NOS	138	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
436	R3-GW-5-230	Acacia mangium Austrelian Acacia 4' to 5 ' height excluding pollybag	NOS	115	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.



437	R3-GW-5-231	Adenonia digitata Gorukhchinch 4' to 5 ' height excluding pollybag	NOS	138	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
438	R3-GW-5-232	Adinantha pavonina Ratnagunj 4' to 5 ' height excluding pollybag	NOS	575	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
439	R3-GW-5-233	Alstonia scholaris Satveen, Davil's Tree 4' to 5 ' height excluding pollybag	NOS	109	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
440	R3-GW-5-234	Amoora rohituk Rohituk 4' to 5 ' height excluding pollybag	NOS	213	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
441	R3-GW-5-235	Anthocephalus cadamba Cadamba 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
442	R3-GW-5-236	Areca catechu Kath 4' to 5 ' height excluding pollybag	NOS	104	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
443	R3-GW-5-237	Azadiracta indica Neem 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
444	R3-GW-5-238	Barringtonia acutangula 4' to 5 ' height excluding pollybag	NOS	173	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
445	R3-GW-5-239	Barringtonia speciosa 4' to 5 ' height excluding pollybag	NOS	173	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

446	R3-GW-5-240	Bauhinia blackeana Kanchan 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
447	R3-GW-5-241	Bauhinia variegata Kanchan 4' to 5 ' height excluding pollybag	NOS	21	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
448	R3-GW-5-242	Bignonia megapotomica Kanchan 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
449	R3-GW-5-243	Bombax mulbaricum Kateshevar 4' to 5 ' height excluding pollybag	NOS	86	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
450	R3-GW-5-244	Brownia Coccinia 4' to 5 ' height excluding pollybag	NOS	121	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
451	R3-GW-5-245	Caesalpinia corairia Dividivi 4' to 5 ' height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
452	R3-GW-5-246	Callistemon viminalis Bottle brush 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
453	R3-GW-5-247	Calophyllum inophyllum Undi 4' to 5 ' height excluding pollybag	NOS	173	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
454	R3-GW-5-248	Cassia fistula Amalas, Indian laburnum 4' to 5 ' height excluding pollybag	NOS	104	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

455	R3-GW-5-249	Cassia javanica Java cassia 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
456	R3-GW-5-250	Cassia marginata Cassia 4' to 5 ' height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
457	R3-GW-5-251	Casurina equisitifolia Casurina 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
458	R3-GW-5-252	Ceba pentandra Shevar 4' to 5 ' height excluding pollybag	NOS	219	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
459	R3-GW-5-253	Colvillea racemosa 4' to 5 ' height excluding pollybag	NOS	190	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
460	R3-GW-5-254	Cordia cebastina 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
461	R3-GW-5-255	Cordia mixa Bhokar 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
462	R3-GW-5-256	Couropita guianensis 4' to 5 ' height excluding pollybag	NOS	209	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
463	R3-GW-5-257	Crysophyllum cynito 4' to 5 ' height excluding pollybag	NOS	224	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

464	R3-GW-5-258	Dalbargia sisoo 4' to 5 ' height excluding pollybag	NOS	173	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
465	R3-GW-5-259	Dellinia indica Karmal 4' to 5 ' height excluding pollybag	NOS	63	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
466	R3-GW-5-260	Dellinia pentagyna 4' to 5 ' height excluding pollybag	NOS	63	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
467	R3-GW-5-261	Delonix regia Gulmohar 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
468	R3-GW-5-262	Derris indica (Pongamia pinnata) Karanj 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
469	R3-GW-5-263	Diospyrous embriopteris Temburni 4' to 5 ' height excluding pollybag	NOS	213	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
470	R3-GW-5-264	Eagle murmelos Bel 4' to 5 ' height excluding pollybag	NOS	196	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
471	R3-GW-5-265	Emblica officinalis 4' to 5 ' height excluding pollybag	NOS	213	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
472	R3-GW-5-266	Erithrina indica Pangara 4' to 5 ' height excluding pollybag	NOS	144	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

473	R3-GW-5-267	Eucalyptus globosa Nilgiri 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
474	R3-GW-5-268	Ficus bengalensis Wad 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
475	R3-GW-5-269	Ficus panda 4' to 5 ' height excluding pollybag	NOS	173	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
476	R3-GW-5-270	Ficus religiosa Pimple 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
477	R3-GW-5-271	Filicium decipiens 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
478	R3-GW-5-272	Garunia xanthochymus 4' to 5 ' height excluding pollybag	NOS	186	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
479	R3-GW-5-273	Gliricidia muculata Undirmar 4' to 5 ' height excluding pollybag	NOS	219	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
480	R3-GW-5-274	Gmelina arboria Shivan 4' to 5 ' height excluding pollybag	NOS	198	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
481	R3-GW-5-275	Grevellia robusta 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

482	R3-GW-5-276	Hardwikiya pinnata Anjan 4' to 5 ' height excluding pollybag	NOS	214	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
483	R3-GW-5-277	Hetrophtagrna roxburghii Varus 4' to 5 ' height excluding pollybag	NOS	215	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
484	R3-GW-5-278	Holoptelia integrifolia 4' to 5 ' height excluding pollybag	NOS	127	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
485	R3-GW-5-279	Jakaranda mimosifolia Nilmochar 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
486	R3-GW-5-280	Kigelia pinnata Sausage Tree 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
487	R3-GW-5-281	Klenhovia hospital 4' to 5 ' height excluding pollybag	NOS	127	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
488	R3-GW-5-282	Lagerstroemia speciosa 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
489	R3-GW-5-283	Malleleuka leucodendron Bhojpatra 4' to 5 ' height excluding pollybag	NOS	144	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
490	R3-GW-5-284	Mangifera indica Mango 4' to 5 ' height excluding pollybag	NOS	144	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

491	R3-GW-5-285	Messua fessea Nagkeshar 4' to 5 ' height excluding pollybag	NOS	155	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
492	R3-GW-5-286	Michelia champaca Son Chapha 4' to 5 ' height excluding pollybag	NOS	144	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
493	R3-GW-5-287	Millingtonia hortensis Indian Cork, Aakash Neem 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
494	R3-GW-5-288	Mimusops elengi Bakul, Pagoda Tree 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
495	R3-GW-5-289	Parkia biglandulosa Tappo Phal 4' to 5 ' height excluding pollybag	NOS	147	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
496	R3-GW-5-290	Polyalthia longifolia Spreading Ashok 4' to 5 ' height excluding pollybag	NOS	115	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
497	R3-GW-5-291	Polyalthia pendula Ashok 4' to 5 ' height excluding pollybag	NOS	115	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
498	R3-GW-5-292	Pongamia glabra Karanj 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
499	R3-GW-5-293	Pterospermum acerifolium 4' to 5 ' height excluding pollybag	NOS	147	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

500	R3-GW-5-294	Putranjeeva roxburghii Putranjeeva 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
501	R3-GW-5-295	Samanea saman Rain tree 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
502	R3-GW-5-296	Saraka indica Sita Ashok 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
503	R3-GW-5-297	Spathodea companulata Fountain Tree, Bahava 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
504	R3-GW-5-298	Sterculia alata Chinese Badam 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
505	R3-GW-5-299	Sterculia foetida Jangli Badam 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
506	R3-GW-5-300	Swetania mohagani Mohagani 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
507	R3-GW-5-301	Sygium cumini 4' to 5 ' height excluding pollybag	NOS	221	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
508	R3-GW-5-302	Tabebuia rosea 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.



509	R3-GW-5-303	Tacoma argentina 4' to 5 ' height excluding pollybag	NOS	92	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
510	R3-GW-5-304	Tamarindus indica Chinch 4' to 5 ' height excluding pollybag	NOS	213	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
511	R3-GW-5-305	Tectona grandis Sagvan 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
512	R3-GW-5-306	Terminalia arjuna Arjuna, Sarda 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
513	R3-GW-5-307	Terminalia catappa Deshi Badam 4' to 5 ' height excluding pollybag	NOS	81	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
514	R3-GW-5-308	Alstonia scholaris Satveen 10' to 12' height and 6 "girth excluding pollybag	NOS	1035	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
515	R3-GW-5-309	Anthocephalus cadamba Kadamb 10' to 12' height and 6 "girth excluding pollybag	NOS	1035	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
516	R3-GW-5-310	Azadiracta indica Neem 10' to 12' height and 6 "girth excluding pollybag	NOS	1035	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
517	R3-GW-5-311	Bahunia purpurea Kanchan 10' to 12' height and 6 "girth excluding pollybag	NOS	1035	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

518	R3-GW-5-312	Barringtonia speciosa 10' to 12' height and 6 "girth excluding pollybag	NOS	1265	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
519	R3-GW-5-313	Bottlepalm Bottlepalm 10' to 12' height and 6 "girth excluding pollybag	NOS	1553	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
520	R3-GW-5-314	Cassia fistula Bahava 10' to 12' height and 6 "girth excluding pollybag	NOS	1093	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
521	R3-GW-5-315	Casurina equisetifolia Casurina 10' to 12' height and 6 "girth excluding pollybag	NOS	920	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
522	R3-GW-5-316	Cocos nucifera Coconut 10' to 12' height and 6 "girth excluding pollybag	NOS	1150	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
523	R3-GW-5-317	Cordia cebastina 10' to 12' height and 6 "girth excluding pollybag	NOS	978	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
524	R3-GW-5-318	Delbergia sisoo Shisam 10' to 12' height and 6 "girth excluding pollybag	NOS	932	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
525	R3-GW-5-319	Fern Tree Fern Tree 10' to 12' height and 6 "girth excluding pollybag	NOS	2243	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

526	R3-GW-5-320	Ficus bengalensis Wad 10' to 12' height and 6 "girth excluding pollybag	NOS	1035	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
527	R3-GW-5-321	Ficus religiosa Peepal 10' to 12' height and 6 "girth excluding pollybag	NOS	1035	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
528	R3-GW-5-322	Foxtail palm Foxtail palm 10' to 12' height and 6 "girth excluding pollybag	NOS	2588	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
529	R3-GW-5-323	Gunj Gunj 10' to 12' height and 6 "girth excluding pollybag	NOS	1438	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
530	R3-GW-5-324	Jacaranda mimosifolia Neelmohar 10' to 12' height and 6 "girth excluding pollybag	NOS	943	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
531	R3-GW-5-325	Kajjelia sp Kajjelia 10' to 12' height and 6 "girth excluding pollybag	NOS	790	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
532	R3-GW-5-326	Kokam Garcinia indica 10' to 12' height and 6 "girth excluding pollybag	NOS	1432	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
533	R3-GW-5-327	Largestromia indica Taman 10' to 12' height and 6 "girth excluding pollybag	NOS	1018	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
534	R3-GW-5-329	Mimosops elengi Bakul 10' to 12' height and 6 "girth excluding pollybag	NOS	506	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

535	R3-GW-5-330	Parkia biglandulosa Chendu phal 10' to 12' height and 6 "girth excluding pollybag	NOS	1035	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
536	R3-GW-5-331	Peltophorum pheruginum Peltophorum 10' to 12' height and 6 "girth excluding pollybag	NOS	1064	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
537	R3-GW-5-332	Spathodia companulatta Fountain Tree 10' to 12' height and 6 "girth excluding pollybag	NOS	920	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
538	R3-GW-5-333	Swetania mahogani Mahogani 10' to 12' height and 6 "girth excluding pollybag	NOS	920	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
539	R3-GW-5-334	Tabubia rosea Tabubia 10' to 12' height and 6 "girth excluding pollybag	NOS	920	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
540	R3-GW-5-335	Terminalia arjuna Arjun 10' to 12' height and 6 "girth excluding pollybag	NOS	920	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
541	R3-GW-5-336	Terminalia montana 10' to 12' height and 6 "girth excluding pollybag	NOS	920	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
542	R3-GW-5-337	Thespecia populnia Bhendi 10' to 12' height and 6 "girth excluding pollybag	NOS	978	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
543	R3-GW-5-338	Thevetia Bitti 10' to 12' height and 6 "girth excluding pollybag	NOS	500	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
544	R3-GW-5-339	Thevetia	NOS	857	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
545	R3-GW-5-341	Citronella Sp. 6 "height excluding pollybag	NOS	29	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

546	R3-GW-5-342	Cyperus alternifolius 6 "height excluding pollybag	NOS	35	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
547	R3-GW-5-343	Clerodendrum inerme 6 "height excluding pollybag	NOS	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
548	R3-GW-5-344	Ophiopogon japonicus brown 6 "height excluding pollybag	NOS	18	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
549	R3-GW-5-345	Ophiopogon jaburan white 6 "height excluding pollybag	NOS	18	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
550	R3-GW-5-346	Pennisetum Nueppeli white 6 "height excluding pollybag	NOS	17	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
551	R3-GW-5-348	Supply of Diesel water tanker having (Minimum 10,000 ltr. Capacity) for watering garden T. I Central Median, afforestation with pump & 100 ft pipe including Cost of Water	per Shift	1250	Supply of Diesel water tanker having (Minimum 10,000 ltr. Capacity) for watering garden T. I Central Median, afforestation with pump & 100 ft pipe including Cost of Water
552	R3-GW-5-351	Hiring of Crane for transplanting of trees of 20 ton load capacity per shift without labour	per Shift	9600	Hiring of Crane for transplanting of trees of 20 ton load capacity per shift without labour
553	R3-GW-5-354	Supply of J.C.B. with bucket	Hr.	1187.5	Supply of J.C.B. with bucket
554	R3-GW-5-355	Supply of cocopit	kg	17	Supply of cocopit
555	R3-GW-5-356	Supply of vermicampost	kg	10	Supply of vermicompost
556	R3-GW-9-1	Rounded plastic pot Black 12"	No.	60	Rounded plastic pot Black Upper dia.30cm lower dia 22 cm height 25 cm

557	R3-GW-9-2	Rounded plastic pot Teracota 12"	No.	69	Rounded plastic pot Terracotta Upper dia.30cm lower dia 22 cm height 25 Cm
558	R3-GW-9-3	Rounded plastic pot Black 16"	No.	138	Rounded plastic pot Black Upper dia.40cm lower dia 29.5 cm height 33 cm
559	R3-GW-9-4	Rounded plastic pot Teracota 16"	No.	150	Rounded plastic pot Terracotta Upper dia.40cm lower dia 29.5 cm height 33 Cm
560	R3-GW-9-5	Rounded plastic pot Black 24"	No.	661	Rounded plastic pot Black Upper dia.60cm lower dia 45.5 cm height 50 cm
561	R3-GW-9-6	Rounded plastic pot Teracota 24"	No.	690	Rounded plastic pot Terracotta Upper dia.60cm lower dia 45.5 cm height 50 Cm
562	R3-GW-9-7	Rectangular plastic planters black	No.	230	Rectangular plastic planters black Upper length.60cm lower 29 cm height 27 cm
563	R3-GW-9-8	Rectangular plastic planters teracota	No.	259	Rectangular plastic planters terracotta Upper length.60cm lower 29 cm height 27 cm
564	R3-GW-9-9	Rectangular plastic planters black	No.	86	Rectangular plastic planters black Upper length.45cm lower 20 cm height 27 cm
565	R3-GW-9-10	Rectangular plastic planters Teracota	No.	92	Rectangular plastic planters terracotta Upper length.45cm lower 20 cm height 27 cm
566	R3-GW-9-11	Orchid pot plastic	No.	17	Orchid pot plastic Upper dia.13cm lower dia 9 cm height 12 cm
567	R3-GW-9-12	Bonsai oval plastic pot black	No.	69	Bonsai oval plastic pot black Upper dia.40cm lower dia 30 cm height 15 Cm

568	R3-GW-9-13	Rounded plastic pot Black	No.	2070	Rounded plastic pot Black Upper dia.70cm lower dia 52 cm height 55 cm
569	R3-GW-9-14	Rounded plastic pot Teracota	No.	2300	Rounded plastic pot Terracotta Upper dia.Upper dia.70cm lower dia 52 cm height 55 cm
570	R3-GW-9-15	Cubical plastic pot Black	No.	3565	Cubical plastic pot Black Upper dia.70cm lower dia 55 cm height 65 cm
571	R3-GW-9-16	Cubical plastic pot Teracota	No.	3968	Cubical plastic pot Terracotta Upper dia.70cm lower dia 55 cm height 65 Cm
572	R3-GW-9-17	Colourfull Plastic Pots for vertical biowall	No.	46	Colorful Plastic Pots for vertical biowall Upper dia.15cm lower dia 12 cm height 15 cm
573	R3-GW-9-18	Clips for plastic Pots for vertical biowall	No.	6	Clips for plastic Pots for vertical biowall having 15 cm size
574	R3-GW-10-1	Pendanus thorny	No.	40	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
575	R3-GW-10-2	Pendanus Thornless	No.	58	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
576	R3-GW-10-3	Varigated Pendanus	No.	69	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
577	R3-GW-10-4	Roses outdoor (Various varities )	No.	58	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.

578	R3-GW-10-5	Raphies palm	No.	690	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
579	R3-GW-10-6	Golden Cyprus	No.	748	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
580	R3-GW-10-7	Stachytarpheta	No.	23	Plant should be healthy ,well rooted ,diseased free and free from any pest attack with sufficient moisture around root zone in pollybag.
581	R3-GW-10-8	Topiary Ficus benzamina black	No.	4025	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone having 5 ' height excluding pollybag with 5 foliage ball having 2' girth of each foliage Ball.
582	R3-GW-10-9	Topiary Ficus nitida	No.	4025	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone having 5 ' height excluding pollybag with 5 foliage ball having 2' girth of each foliage Ball.
583	R3-GW-10-10	Topiary Ficus panda	No.	4025	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone having 4' height excluding pollybag with 3 foliage ball having 2' girth of each foliage Ball.
584	R3-GW-10-11	Bamboo (3' height excluding pollybag)	Nos.	40	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
585	R3-GW-10-12	<b>* Ficus benzamina black( 5' to 6 ft. Tall and 4” girth of trunk having Single rounded foliage ball not less than 3 ft girth .)</b>	<b>No.</b>	<b>5000</b>	<b>Topiary of Ficus benzamina black( 5' to 6 ft. Tall and 4” girth of trunk having Single rounded foliage ball not less than 3 ft girth ) Plant should be healthy ,diseased free and free from any pest at tack with sufficient moisture around root zone.</b>



586	R3-GW-10-13	* Ficus Nitida(5' to 6 ft. Tall and 4" girth of trunk having Single rounded foliage ball not less than 3 ft girth )	No.	5500	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone having 5' to 6 ft. Tall and 4" girth of trunk having Single rounded foliage ball not less than 3 ft girth.
587	R3-GW-10-14	* Ficus Panda(3' to 4 ft. Tall and 4" girth of trunk having Single rounded foliage ball not less than 3 ft girth )	No.	6500	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone having 3' to 4 ft. Tall and 4" girth of trunk having Single rounded foliage ball not less than 3 ft girth.
588	R3-GW-10-15	Golden Bamboo	No.	230	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
589	R3-GW-10-16	Topiary of Bougainvillea glabra	No.	3220	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone having 3' to 4 ft. Tall and 4" girth of trunk having Single rounded foliage ball not less than 3 ft girth.
590	R3-GW-10-17	Poted Phonix palm	No.	2875	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
591	R3-GW-10-18	Anthurium For Indoor plantation	No.	322	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
592	R3-GW-10-19	Poted Anthurium for indoor plantation	No.	322	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
593	R3-GW-10-20	X mas tree	No.	403	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
594	R3-GW-10-21	Poted X mas tree	No.	518	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,

595	R3-GW-10-22	Philodendron xanadu	No.	46	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
596	R3-GW-10-23	Poted Philodendron xanadu	No.	69	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
597	R3-GW-10-24	Heliconia rostratais	No.	63	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
598	R3-GW-10-25	Red Ginger	No.	75	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
599	R3-GW-10-26	Canna Durban	No.	40	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
600	R3-GW-10-27	Rex Bigonia	No.	83	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
601	R3-GW-10-28	Begonia aconitifolia	No.	83	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
602	R3-GW-10-29	Begonia Double lady carol red	No.	76	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
603	R3-GW-10-30	Ravenala Madagascariensis	No	1035	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,

604	R3-GW-10-31	Red Aglonema	No	173	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
605	R3-GW-10-32	Poted Dendrobium Varius variety	No	259	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
606	R3-GW-10-33	Alocasia Elephant Ears	No	58	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
607	R3-GW-10-34	Cardinal Climber	No	63	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
608	R3-GW-10-35	Clerodendron Thomsoniae	No	46	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
609	R3-GW-10-36	Pyrostegia venusta	No	70	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
610	R3-GW-10-37	Thunbergia gerandiflora	No	23	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
611	R3-GW-10-38	Humming bird vine	No	17	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
612	R3-GW-10-39	Antigonon lepopus	No	63	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,

613	R3-GW-10-40	Alocasia Odora	No	83	Plant should be healthy ,diseased free and free from any pest attack with sufficient moisture around root zone,
614	R3-GW-10-41	Green shed net 25%	Sq. Mtr	33	Green shed net 25% (25% light penetration)
615	R3-GW-10-42	Green shed net 50%	Sq. Mtr	40	Green shed net 50% (50% light penetration)
616	R3-GW-10-43	Green shed net 75%	Sq. Mtr	48	Green shed net 75% ( 75% light penetration)
617	R3-GW-10-44	Pollysheet for pollyhouse	Sq.Mtr	207	Pollysheet for pollyhouse -200 Micron
618	R3-GW-11-01	Hanging Basket 12 "diameter at top with 3 chains	No.	506	Hanging Basket 12 "diameter at top with 3 chains and compressed Cococoir
619	R3-GW-11-02	Vermiculite	Kg.	288	Vermiculite for agriculture purpose only
620	R3-GW-11-03	Perlite	Kg.	288	Perlite for agriculture purpose only
<b>New Items in MATERIAL</b>					
<b>Sr. No.</b>	<b>ITEM No.</b>	<b>ITEM DESCRIPTION</b>	<b>UNIT</b>	<b>RATE</b>	<b>Specification</b>
621	R3-GW-11-04	Supply of Carpet lawn	SQ.M	198	Lawn should be lush green free from weeds & diseases

622	R3-GW-11-05	Diffenbachia Crimson	NOS	249	HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 5" P
623	R3-GW-11-06	Agloanema Red Angel	NOS	349	HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 5" P
624	R3-GW-11-07	Philodendron Melinonii Gold	NOS	349	HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 5" P
625	R3-GW-11-08	Zamia Green	NOS	179	HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 5" P
626	R3-GW-11-09	Zamia Black	NOS	259	HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 5" P
627	R3-GW-11-10	Cobra Fern	NOS	299	HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 5" P
628	R3-GW-11-11	Calathea Makoyana	NOS	249	HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 5" P
629	R3-GW-11-12	Calathea Longifolia	NOS	339	HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 5" P
630	R3-GW-11-13	Draceana Darasingh	NOS	349	HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 8" P
631	R3-GW-11-14	Sterlezia Nicolai (Bird of Paradise)	NOS	449	HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 8" P
632	R3-GW-11-15.	Sansevieria Tiger	NOS	189	HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 5" P
633	R3-GW-11-16	Sansevieria Black Jack	NOS	269	HEALTHY PLANTS IN PLASTIC POTS HAVING DIAMETRE 5" P
634	R3-GW-11-17	Phospholum lawn ( Free from weed , compact and lush green)	Kg.	15	Lawn should be lush green free from weeds & deseases
635	R3-GW-11-18	Saint augustine lawn ( Free from weed , compact and lush green)	Kg.	15	Lawn should be lush green free from weeds & deseases
636	R3-GW-11-19	Hiring of Maclift (60ft) service with operatoer per shift without labour	shift 8 hrs	15800	supply of 60 ft Mac lift with operatoar for 1 shift
637	R3-GW-11-20	Bougainvillea Topiary with pot height 2ft to 4 ft (Single or Multicolour)	NOS	7500	HEALTHY PLANTS
638	R3-GW-11-21	Bougainvillea Topiary with pot height 5ft to 8ft (Single or Multicolour)	NOS	15000	HEALTHY PLANTS
639	R3-GW-11-22	Red Fountain grass	NOS	20	HEALTHY PLANTS

640	R3-GW-11-23	Hybrid bougainvillea 9 to 12" plastic bag	NOS	120	HEALTHY PLANTS
641	R3-GW-11-24	Rounded Earthen Pot Upper dia.8" Height 7"	NOS	70	GOOD QUALITY & WELL BAKED
642	R3-GW-11-25	Rounded Earthen Pot Upper dia.10" Height 9"	NOS	85	GOOD QUALITY & WELL BAKED
643	R3-GW-11-26	Rounded Earthen Pot Upper dia. 10" Height 9 1/2"	NOS	125	GOOD QUALITY & WELL BAKED
644	R3-GW-11-27	Rounded Earthen Pot Upper dia.13" Height 10 1/2"	NOS	150	GOOD QUALITY & WELL BAKED
645	R3-GW-11-28	Rounded Earthen Pot Upper dia.15" Height 12"	NOS	200	GOOD QUALITY & WELL BAKED
646	R3-GW-11-29	Earthen Thali having dia.12" Height 6"	NOS	125	GOOD QUALITY & WELL BAKED
647	R3-GW-11-30	Earthen Thali having dia.12" Height 5"	NOS	105	GOOD QUALITY & WELL BAKED
648	R3-GW-11-31	Various shapes of Malphigia Potted Topiary plant, Size 14" pot and 3'height including pot ( excluding Cone, Star, Round, Heart)	NOS	4000	Plant shall be healthy, good shape, disease and pest free.
649	R3-GW-11-32	Various shapes of Malphigia Potted Topiary plant, Size 18" pot and 3'-4'height including pot ( excluding Cone, Star, Round, Heart)	NOS	5000	Plant shall be healthy, good shape, disease and pest free.
650	R3-GW-11-33	Various shapes of Malphigia Potted Topiary plant, Size 22" to 24" pot and 4'-5'height including pot ( excluding Cone, Star, Round, Heart)	NOS	8000	Plant shall be healthy, good shape, disease and pest free.
651	R3-GW-11-34	<b>* Various shapes of Malphigia Potted Topiary plant, Size 26" pot and 5'-9'height including pot ( excluding Cone, Star, Round, Heart)</b>	NOS	12000	<b>Plant shall be healthy, good shape, disease and pest free.</b>

652	R3-GW-11-35	Star, Round, Heart shapes af Malphigia Potted Topiary plant, Size 14” pot and 2’-2.5’height including pot ( excluding Cone)	NOS	2500	Plant shall be healthy, good shape, disease and pest free.
653	R3-GW-11-36	Star, Round, Heart shapes af Malphigia Potted Topiary plant, Size 18” -22” pot and 3’-3.5’height including pot ( excluding Cone)	NOS	5000	Plant shall be healthy, good shape, disease and pest free.
654	R3-GW-11-37	Star, Round, Heart shapes af Malphigia Potted Topiary plant, Size 24” -26” pot and 4’-5’height including pot ( excluding Cone)	NOS	6000	Plant shall be healthy, good shape, disease and pest free.
655	R3-GW-11-38	Cone shapes af Malphigia Potted Topiary plant, Size 14” pot and 2.5’-3’height including pot ( excluding Star, Round, Heart)	NOS	2500	Plant shall be healthy, good shape, disease and pest free.
656	R3-GW-11-39	Cone shapes af Malphigia Potted Topiary plant, Size 18”-22” pot and 4’-5’height including pot ( excluding Star, Round, Heart)	NOS	5000	Plant shall be healthy, good shape, disease and pest free.
657	R3-GW-11-40	Cone shapes af Malphigia Potted Topiary plant, Size 24”-26” pot and 6’-8’height including pot ( excluding Star, Round, Heart)	NOS	6000	Plant shall be healthy, good shape, disease and pest free.

**3. TREE PRESERVATION AND PROTECTION ACTIVITY PROPOSED USOR**

Sr. No.	ITEM NO.	ITEM DESCRIPTION	UNIT	Rates	Specifications
658	R3-GW-8-1	Trimming of trees below 2' girth	No.	1157.00	Trimming of tree as directed by Site incharge / supervisor, depose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. If trimming is required within 6 month it should be done by contractor free of cost . If required application of fungicide , pesticides at pruned branches as directed by site incharge.

659	R3-GW-8-2	Trimming of trees having girth between 2' to 5'	No.	2343.00	Trimming of tree as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. If trimming is required within 6 month it should be done by contractor free of cost . If required application of fungicide , pesticides at pruned branches as directed by site incharge.
660	R3-GW-8-3	Trimming of trees above 5' girth	No.	5623.00	Trimming of tree as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. If trimming is required within 6 month it should be done by contractor free of cost . If required application of fungicide , pesticides at pruned branches as directed by site incharge.
661	R3-GW-8-4	Removal of dead trees having girth below 2'	No.	944.00	Removal of tree by cutting as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. Remove root stock.
662	R3-GW-8-5	Removal of dead trees having girth between 2' to 5'	No.	1638.00	Removal of tree by cutting as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. Remove root stock.
663	R3-GW-8-6	Removal of dead trees having girth above 5'	No.	2802.00	Removal of tree by cutting as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. Remove root stock.
664	R3-GW-8-7	Removal of easily accessible fallen/dangerous tree having girth below 2'	No.	1608.00	removal of tree by cutting as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. Remove root stock.



665	R3-GW-8-8	Removal of easily accessible fallen/dangerous tree having girth between 2' to 5'	No.	2648.00	removal of tree by cutting as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. Remove root stock.
666	R3-GW-8-9	Removal of easily accessible fallen/dangerous tree having girth above 5'	No.	6997.00	removal of tree by cutting as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. Remove root stock.
667	R3-GW-8-10	Removal of non accessible fallen/dangerous tree having girth below 2'	No.	2147.00	removal of tree by cutting as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. Remove root stock.
668	R3-GW-8-11	Removal of non accessible fallen/dangerous tree having girth between 2' to 5'	No.	9008.00	removal of tree by cutting as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. Remove root stock.
669	R3-GW-8-12	Removal of non accessible fallen/dangerous tree having girth above 5'	No.	24133.00	removal of tree by cutting as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. Remove root stock.
670	R3-GW-8-13	Removal of fruits and fronts of palm trees having height below 25'	No.	1104.00	removal of fruits and fronds by cutting as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. Remove root stock.
671	R3-GW-8-14	Removal of fruits and fronts of palm trees having height above 25'	No.	1236.00	removal of tree by cutting as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. Remove root stock.

672	R3-GW-8-15	Transplantation of trees below 2' girth at same location	No.	5091.00	Transplanting of tree by minimum pruning of tree as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. application of rooting hormone in root zone , Watering of root zone , removal of tree along with rootstock alongwith the rootball, Providing and fixing of jute fabrics around rootball, transportation of trees at designated site. Digging of sufficient size pit, Feeling of pit by RHE and CDM in 2:1 proportion. Watering of soil mixture . application of rooting hormone in root zone , Planting of tree in a pit, watering daily as directed by site incharge.
673	R3-GW-8-16	Transplantation of trees having girth between 2' to 5' at same location	No.	11679.00	Transplanting of tree by minimum pruning of tree as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. application of rooting hormone in root zone , Watering of root zone , removal of tree along with rootstock alongwith the rootball, Providing and fixing of jute fabrics around rootball, transportation of trees at designated site. Digging of sufficient size pit, Feeling of pit by RHE and CDM in 2:1 proportion. Watering of soil mixture . application of rooting hormone in root zone , Planting of tree in a pit, watering daily as directed by site incharge.
674	R3-GW-8-17	Transplantation of trees above 5' girth at same location	No.	13984.00	Transplanting of tree by minimum pruning of tree as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. application of rooting hormone in root zone , Watering of root zone , removal of tree along with rootstock alongwith the rootball, Providing and fixing of jute fabrics around rootball, transportation of trees at designated site. Digging of sufficient size pit, Feeling of pit by RHE and CDM in 2:1 proportion. Watering of soil mixture . application of rooting hormone in root zone , Planting of tree in a pit, watering daily as directed by site incharge.

675	R3-GW-8-18	Transplantation of trees below 2' girth at distant location	No.	7188.00	Transplanting of tree by minimum pruning of tree as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. application of rooting hormone in root zone , Watering of root zone , removal of tree along with rootstock alongwith the rootball, Providing and fixing of jute fabrics around rootball, transportation of trees at designated site. Digging of sufficient size pit, Feeling of pit by RHE and CDM in 2:1 proportion. Watering of soil mixture . application of rooting hormone in root zone , Planting of tree in a pit, watering daily as directed by site incharge.
676	R3-GW-8-19	Transplantation of trees having girth between 2' to 5' at distant location	No.	15874.00	Transplanting of tree by minimum pruning of tree as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. application of rooting hormone in root zone , Watering of root zone , removal of tree along with rootstock alongwith the rootball, Providing and fixing of jute fabrics around rootball, transportation of trees at designated site. Digging of sufficient size pit, Feeling of pit by RHE and CDM in 2:1 proportion. Watering of soil mixture . application of rooting hormone in root zone , Planting of tree in a pit, watering daily as directed by site incharge.
677	R3-GW-8-20	Transplantation of trees above 5' girth at distant location	No.	18179.00	Transplanting of tree by minimum pruning of tree as directed by Site incharge / supervisor, dispose off the tree cutting, wood logs out of BMC Jurisdiction at designated site. application of rooting hormone in root zone , Watering of root zone , removal of tree along with rootstock alongwith the rootball, Providing and fixing of jute fabrics around rootball, transportation of trees at designated site. Digging of sufficient size pit, Feeling of pit by RHE and CDM in 2:1 proportion. Watering of soil mixture . application of rooting hormone in root zone , Planting of tree in a pit, watering daily as directed by site incharge.
678	R3-GW-8-21	Plant Protection measures for tree having girth below 2'	No.	174.00	application of pesticides as suggested by site incharge by using spray pumps . Maclifton / ladder should be arranged by contractor .
679	R3-GW-8-22	Plant Protection measures for tree having girth between 2'to 5'	No.	289.00	application of pesticides as suggested by site incharge by using spray pumps . Maclifton / ladder should be arranged by contractor .

680	R3-GW-8-23	Plant Protection measures for tree having girth above 5'	No.	865.00	application of pesticides as suggested by site incharge by using spray pumps . Maclifton / ladder should be arranged by contractor .
681	R3-GW-8-24	Applying Lime Geru to tree having girth below 2'	No.	28.00	application of 3 or 2 belt of geru and lime as directed by site incharge.
682	R3-GW-8-25	Applying Lime Geru to tree having girth between 2' to 5'	No.	37.00	application of 3 or 2 belt of geru and lime as directed by site incharge.
683	R3-GW-8-26	Applying Lime Geru to tree having girth above 5'	No.	56.00	application of 3 or 2 belt of geru and lime as directed by site incharge.
684	R3-GW-8-27	Lifting of Unclaimed Tree cutting per cum	cum	419.00	Lifting of unclaimed tree cutting from site and dispose off tree cutting out of BMC jurisdiction

**NOTE: \* ITEMS to be used with prior approval of Concern DySG**